

**INTERNATIONAL POLLINATORS INITIATIVE:  
THE SÃO PAULO DECLARATION ON POLLINATORS**

**Report on the Recommendations of the Workshop on the  
Conservation and Sustainable Use of Pollinators in Agriculture with  
Emphasis on Bees**

Brazilian Ministry of the Environment

Brasília 1999

**INTERNATIONAL POLLINATORS INITIATIVE:  
THE SÃO PAULO DECLARATION ON POLLINATORS**

**Report on the Recommendations of the Workshop on the Conservation and Sustainable Use of  
Pollinators in Agriculture with Emphasis on Bees**

**Report prepared by**

**Braulio S. F. Dias  
Anthony Raw  
and  
Vera L. Imperatriz-Fonseca**

**Organisers**

Brazilian Ministry of the Environment – MMA  
University of Sao Paulo – USP  
Brazilian Corporation for Agricultural Research – EMBRAPA

**Support**

United Nations Development Program – UNDP  
Brazilian Council for Scientific and Technological Development - CNPq  
Food and Agriculture Organisation - FAO  
World Conservation Union - IUCN  
International Bee Research Association - IBRA  
International Commission for Plant-Bee Relationships – ICPBR  
Convention on Biological Diversity Secretariat

Brazilian Ministry of the Environment  
Brasília, December, 1999

**President of the Republic**  
Fernando Henrique Cardoso

**Vice-President of the Republic**  
Marco Antonio de Oliveira Maciel

**Minister of the Environment**  
José Sarney Filho

**Executive Secretary of the Ministry of the Environment**  
José Carlos de Carvalho

**Secretary for Biodiversity and Forests**  
José Pedro de Oliveira Costa

**Director for the Conservation of Biodiversity**  
Bráulio Ferreira de Souza Dias

**Ministério do Meio Ambiente - MMA**  
Centro de Informação e Documentação Luís Eduardo Magalhães  
(Information and Documentation Centre)  
CID Ambiental  
Esplanada dos Ministérios - Bloco B - Térreo  
70068-900 Brasília DF - Brasil  
Phone: +55-61-317-1235  
Fax: +55-61-224-5222  
e-mail: cid-ambiental@mma.gov.br

**International Pollinators Initiative: The São Paulo Declaration on Pollinators. Report on the Recommendations of the Workshop on the Conservation and Sustainable Use of Pollinators in Agriculture with Emphasis on Bees. Brasília: Brazilian Ministry of the Environment (MMA), 1999. 51 pp.**

Document prepared as a contribution for the implementation of Decision III/11 of the Convention on Biological Diversity, which established a work program on the conservation and sustainable use of agricultural biological diversity.

**INTERNATIONAL POLLINATORS INITIATIVE:  
THE SÃO PAULO DECLARATION ON POLLINATORS**

**Report on the Recommendations of the Workshop on the Conservation and Sustainable Use of  
Pollinators in Agriculture with Emphasis on Bees**

**University of São Paulo, São Paulo, Brazil  
7-9 October 1998**

A framework of proposals for actions to implement an international initiative on the conservation and sustainable use of pollinators in agriculture

A contribution for the implementation of Decision III/11  
of the Convention on Biological Diversity – CBD  
which established a work program on the conservation and sustainable use of agricultural biological  
diversity

**Organising committee**

Braulio Ferreira de Souza Dias  
Anthony Raw  
Vera Lúcia Imperatriz-Fonseca

**Advisory group**

Carlos Alberto Garófalo  
Clayton Campanhola  
Isabel Alves dos Santos  
Marilda Cortopassi-Laurino  
Regina Nogueira-Couto

**Invited Participants**

Experts on pollinator diversity, pollination ecology, pollination in agriculture, pollinator monitoring, pollinator ecology and conservation, pollinator management, impacts on pollinators, economics of pollination.

**Co-ordinators of working groups**

Christopher O'Toole. Program element 1: Reducing the Taxonomic Impediment on Pollinators  
Gordon Frankie. Program element 2: Monitoring Global Changes in the Diversity of Pollinators  
David W. Roubik. Program element 3: Identifying the Causes of Pollinator Decline  
Kenneth Richards. Program element 4: Quantifying the Economic Importance of Pollinators  
Stephen Buchmann. Program element 5: Conservation of Pollinator Diversity  
Hayo H.W. Velthuis. Program element 6: Sustainable Use of Pollinators

**INTERNATIONAL POLLINATORS INITIATIVE:  
THE SÃO PAULO DECLARATION ON POLLINATORS**

**CONTENTS**

PREFACE .....	vi
EXECUTIVE SUMMARY .....	1
Proposals for Action .....	2
Introduction.....	4
Towards the Establishment of an International Initiative on the Conservation and Sustainable Use of Pollinators .....	4
Diversity of plants and diversity of pollinators .....	8
The importance of pollination to agriculture and the risks of pollinator decline .....	9
WORKSHOP RESULTS: THE SÃO PAULO DECLARATION ON POLLINATORS.....	11
Explanatory remarks.....	11
Summary of major findings.....	11
List of Proposals for Action .....	11
Follow-up recommendations .....	13
Convergence of proposals .....	13
ANNEXES .....	15
WORKSHOP PROGRAM 7-9 October 1998.....	15
DAY 1. STATE OF THE ART AND IMPORTANCE OF THE ISSUE .....	15
DAY 2. FRAMEWORK FOR AN INTERNATIONAL INITIATIVE ON POLLINATORS.....	16
DAY 3. CONSOLIDATION OF RECOMMENDATIONS .....	16
FRAMEWORK OF ACTIONS TO IMPLEMENT INTERNATIONAL POLLINATORS INITIATIVE .....	17
Program element 1: Reducing the Taxonomic Impediment on Pollinators: .....	17
Program element 2: Monitoring Global Changes in the Diversity and Frequency of Pollinators.....	24
Program element 3: Identifying the Causes of Pollinator Decline.....	29
Program element 4: Quantifying the Economic Value of Pollinators.....	30
Program element 5: Conservation of Pollinator Diversity .....	34
Program element 6: Sustainable Use of Pollinators .....	37
APPENDICES .....	42
Acronyms .....	42
Bibliography to consult.....	43
List of participants.....	47

## PREFACE

The vital importance of the sustainable use of biological diversity for society is evident and is clearly demonstrated in this report. The decline in the diversity and numbers of pollinators and the risks this involves for agriculture sustainability clearly demonstrate the importance of pollination in this sphere. This ecosystem service provided by biodiversity is one of the simplest to demonstrate and for the public to comprehend. This is particularly opportune because the proposal described here could be the basis for a first global initiative to deal with the conservation and sustainable use of the components of biodiversity directly responsible for the maintenance of an ecosystem service.

At the second meeting of its Subsidiary Body on Scientific, Technical and Technological Advice (SBSTTA) of the Convention on Biological Diversity (CBD) in Montreal, the Brazilian Government proposed establishing a work program on Agricultural Biological Diversity which included a proposal for the establishment of an “*International Pollinator Conservation Initiative*”. Based largely on the Brazilian proposal, the third Conference of the Parties (COP3) in Buenos Aires, approved Decision III/11 on the “*Conservation and Sustainable Use of Agricultural Biological Diversity*”, which identified pollinators as one of the initial priorities.

As a contribution to the development of this program the Brazilian Ministry of the Environment held an international workshop of experts to propose a framework for an International Initiative on Pollinators as a key element in this program. It was attended by 61 scientists from 15 countries and four international organisations (CBD Secretariat, FAO, IBRA and ICPBR).

The workshop was very successful, with an intense programme that included individual presentations of case studies, poster presentations and workgroups on special topics. There was general agreement among the participants over identification of the problem and what, in general terms, needs to be done to begin to resolve it.

Therefore, it is my pleasure to submit this report, the *São Paulo Declaration on Pollinators*, to the attention of all delegates to the fifth meeting of the Subsidiary Body for Scientific, Technical and Technological Advice – SBSTTA of the Convention on Biological Diversity to be held 31 January to 4 February, 2000 in Montreal, Canada. I hope its proposals will be recommended for endorsement by the fifth meeting of the Conference of the Parties of the CBD - COP5 in Nairobi in May 2000. The framework for action recommended by the Sao Paulo workshop could provide the needed guidelines for the Global Environment Facility – GEF and other financing agencies in supporting projects in different countries on this theme.

I would like to strongly support the recommendation that COP5 formally establish an *International Pollinators Initiative* based on the framework for action contained in this report and the request that SBSTTA should co-ordinate, with support from the Executive Secretary, the preparation of a first *Global Biodiversity Outlook Report on Pollinators*. The Workshop participants also requested that COP5 call for international co-operation to develop the *International Pollinators Initiative* and requested the financial support of the Global Environment Facility - GEF for this initiative and, finally, proposed the creation of a *Pollinators Specialist Group* within the Species Survival Commission of the IUCN.

In addition to this Report the Brazilian Ministry of the Environment and the International Bee Research Association plan to publish jointly a volume on the contents of 25 case studies that were presented during the workshop.

I would like to thank the following institutions for their support to this initiative: the University of Sao Paulo – USP, the Brazilian Corporation for Agricultural Research – EMBRAPA, the Brazilian Council for Scientific and Technological Development – CNPq, the United Nations Development Program – UNDP (Project BRA 95/012), the Food and Agriculture Organisation – FAO, the World Conservation Union – IUCN, the International Bee Research Association – IBRA, the International Commission for Plant-Bee Relationships – ICPBR, and the Secretariat of the Convention on Biological Diversity. Finally, I would like to thank and congratulate the participants of the São Paulo workshop for their significant contribution.

José Sarney Filho  
State Minister of the Environment, Brazil

# INTERNATIONAL POLLINATORS INITIATIVE: THE SÃO PAULO DECLARATION ON POLLINATORS

## Report on the Recommendations of the Workshop on the Conservation and Sustainable Use of Pollinators in Agriculture with Emphasis on Bees

### EXECUTIVE SUMMARY

One-third of the world's crops demand pollination to set seeds and fruits and the great majority of them are pollinated by many of the estimated 25,000 species of bees. The annual value of this service in the U.S. is calculated at US \$6-8 billion and the estimate worldwide is US \$ 65-70 billion. The most widely used species in crop pollination is the honeybee (*Apis mellifera*). A major problem is emerging for the world's agricultural production reflecting the risk involved in relying on a single pollinator species. Honeybees in many parts of the world have contracted a serious disease and the numbers of honeybee colonies have decreased dramatically. Fruit and vegetable growers in the U.S. and Europe are complaining about poor fruit sets despite good blooming. As the disease has spread throughout most of the world, specialists consider all countries will become seriously affected. Farmers and growers now wish to use native of bees. Many species of native bees are known to be efficient pollinators of crops and a few species have been managed for this purpose. However, the numbers of native bees are dwindling; some species seriously so. Declines in numbers have been reported in North and Central America and Europe. The losses are due mostly to the use of agrochemicals and monocultures, to deforestation, and possibly to the introduction of exotic pollinators.

The emergence of a serious and widespread disease has made it clear that native pollinators need to be protected and sustainable managed for the pollination service they can provide and that agricultural practices be designed to incorporate the protection and sustainable management of bee populations. The pollinator crisis exemplifies the intimate relationship existing between the welfare of natural environments and their biodiversity and the needs of sustainable agriculture.

As a contribution to the development of the CBD work program approved by Decision III/11 on the "Conservation and Sustainable Use of Agricultural Biological Diversity", which identified pollinators as one of the initial priorities, the Brazilian Government held an international workshop of experts to propose a framework for an *International Initiative on Pollinators* as a key element in this program. The workshop was attended by 61 scientists from 15 countries and four international organisations (CBD Secretariat, FAO, IBRA and ICPBR). Six groups of specialists discussed: 1- Reducing the Taxonomic Impediment on Pollinators, 2- Monitoring the Decline of Pollinators, 3- Identifying the Causes of Pollinator Decline, 4- Quantifying the Economic Value of Pollinators to Agriculture, 5- Conservation of Pollinator Diversity, and 6- Sustainable Use of Pollinators.

The recommendations of the Workshop include a proposal that COP5 formally establish an *International Pollinators Initiative* based on the framework for action contained in this report and request SBSTTA to co-ordinate, with support from the Executive Secretary, the preparation of a first Global Diversity Outlook Report on Pollinators. The Workshop participants also requested that COP5 call for international co-operation to develop the *International Pollinators Initiative* and request the financial support of GEF for this initiative and, furthermore, propose the creation of a *Pollinators Specialist Group* within the Species Survival Commission of the IUCN.

The recommendations produced by this workshop should help foster support from agencies to enhance initiatives on all continents on pollinator conservation and sustainable use. This would help to mainstream the issue of biodiversity in our society and to direct the conservation movements to promote the maintenance of biodiversity as an essential component to ecosystem functioning.

The workshop participants concluded that there is insufficient reliable data on the reported declines in the numbers of pollinators and their effects on agriculture, but that the necessary expertise to collect such data is available. Furthermore, they agreed that such an effort is viable provided the institutional support is available. However, the difficulties in obtaining reliable identification of pollinators (especially of bees), which are vital for the success of both the monitoring programme and pollination research, was also stressed. They also emphasised that the pollination requirements of relatively few crops are known. The experts spoke of the need to produce manuals and catalogues and agreed that the creation of websites with databases of specialists, publications and reports and information on the pollination requirements of crops

and on their pollinators is vital and that success of the proposed actions will be greatly enhanced with public awareness of the problem. The spread of successful pollinators for some cultures should be regulated, in order to avoid their introduction in areas outside their natural distribution and avoid competition with local pollinators.

The proposals for action of this Workshop are varied, and many are concerned with the collection of reliable information and its dissemination. The predominance of these two subjects demonstrates the participants' desire to have access to standardised extra data. Some of this information already exists but is not readily available, while much additional data need to be collected. An international training program was suggested, with standardised methodology and well-defined goals in order to create a worldwide network of experts capable to develop appropriate actions for the conservation and sustainable use of local pollinator diversity.

## **PROPOSALS FOR ACTION**

### **Taxonomic impediment:**

1. Assess the scale of the Taxonomic Impediment
2. Maintain continuity of existing taxonomic and reference collections of bees
3. Establish Centres of Excellence in Bee Taxonomy
4. Train bee taxonomists
5. Train parataxonomists
6. Repatriate data [Capacity building and benefit sharing]
7. Stimulate taxonomic output
8. Hold a Workshop on motivation and training of parataxonomists
9. Hold a Workshop on automated systems for bee identification

### **Monitoring the decline:**

1. Establish a committee to co-ordinate a global monitoring plan and network
2. Refine plans and methods for implementation of a global monitoring plan
3. Assess methods, prepare manuals for monitoring pollinators and train participants
4. Implement a pilot global monitoring program in selected areas worldwide
5. Assess the potential impact of exotic pollinators on native pollinators
6. Establish a network of websites with databases for all pollinator monitoring data
7. Prepare a Global Biodiversity Outlook Report on the status and trends of pollinators
8. Promote follow up activities to ensure continuity and improve the proposed program

### **Causes of decline:**

1. Assess pollinator diversity and pollinator efficiency in representative agro ecosystems and adjacent natural and semi natural environments
2. [This issue needs further attention, as workgroup report was not submitted]

### **Economic importance:**

1. Establish a network of experts and a network of databases
2. Determine the pollination requirements of each crop species
3. Determine best pollinators for each crop species
4. Determine impact of pollinator presence/absence on fruit and seed yield
5. Establish pollination models for selected crops
6. Develop a generalised economic method for evaluation of crop-pollinator-pollination systems
7. Conduct cost/benefit analyses for different crop and pollination systems, at the farm level
8. Conduct total crop production cost analyses for different crop-pollinator-pollination systems, at the national level, including externalities
9. Conduct cost analyses for changes from one crop-pollination system to another, at the international level, including infrastructure maintenance
10. Disseminate information generated by various means

### **Conservation and restoration:**

1. Establish an international advisory group on pollinator conservation
2. Establish an international information network on pollinator conservation and a global directory of pollinator experts



3. Assess the state of scientific and indigenous knowledge on pollinator conservation
4. Develop and update global and national lists of threatened pollinator species
5. Develop model-testing protocols for the introduction of non-native pollinators and to assess impacts of agrochemicals on pollinators
6. Develop an international communication outreach capacity
7. Produce multilingual manuals on pollinator conservation and restoration for farmers
8. Create “bee smart” certification labels for “pollination friendly” products

**Sustainable use:**

- Disseminate information on pollination in agricultural environments through data bases, websites, and networks
- Establish a roster of existing pollination and pollinators experts to serve as a pool for consultations in technology transfer
- Promote applied research on pollination in agricultural ecosystems through training of post-graduates to work on gap issues
- Protect natural habitats, within agricultural landscapes, as sources of wild pollinators for crop improvement
- Evaluate positive and negative effects of alternative practices and technologies in agricultural production on pollinator conservation and effectiveness
- Evaluate impacts on pollination of practices and technologies used in agricultural production
- Improve the knowledge on the real needs of pollination of tropical crops and forest trees
- Gather and disseminate/exchange information of best practices
- Conduct risk/impact assessments of main causes of pollination decline
- Develop guidelines for policy makers and for farmers

# INTRODUCTION

## TOWARDS THE ESTABLISHMENT OF AN INTERNATIONAL INITIATIVE ON THE CONSERVATION AND SUSTAINABLE USE OF POLLINATORS \*

Biological diversity is a resource on which man is becoming increasingly dependent. This involves the direct use of biological resources, the indirect use of ecosystem services and the intrinsic uses associated with cultural, social, religious and moral values. Therefore, the world's biological diversity needs to be conserved and wisely utilised. A realistic way to ensure its conservation is to promote and enhance its value to society. Much of the conservation effort in recent decades has emphasised the intrinsic values of biodiversity by appealing to the public's emotional attachment to flagship animals, mostly furry mammals and colourful birds. Nonetheless, despite the increased awareness of the economic importance of the ecosystem services provided by biodiversity, not enough effort has targeted the components of biological diversity, which are critical to the maintenance of key ecosystem services (see for example Costanza *et al* 1997, Daily 1997, Pimentel *et al* 1997).

The Brazilian Government presented to the Convention on Biological Diversity (CBD) at the second meeting of its Subsidiary Body on Scientific, Technical and Technological Advice (SBSTTA), held in Montreal, Canada, 2 to 6 September 1996, a proposal to establish a work program on Agricultural Biological Diversity (later published as: Campanhola *et al* 1998) which, among other things, included a proposal for the establishment of an “*International Pollinator Conservation Initiative*”. The third Conference of the Parties (COP3) of the CBD, held in Buenos Aires, Argentina, 4 to 15 November 1996, approved Decision III/11 on the “CONSERVATION AND SUSTAINABLE USE OF AGRICULTURAL BIOLOGICAL DIVERSITY” which was based to a large extent on the Brazilian proposal (MMA 1996).

Among the important elements of this decision, the COP3 decided to “*establish a multi-year program of activities on agricultural biological diversity aiming, firstly, to promote the positive effects and mitigate the negative impacts of agricultural practices on biological diversity in agro-ecosystems and their interface with other ecosystems; secondly, to promote the conservation and sustainable use of genetic resources of actual or potential value for food and agriculture; and thirdly, to promote the fair and equitable sharing of benefits arising out of the utilisation of genetic resources; and which, in support of the implementation of ongoing or the initiation of new policies, programs and plans in the field of agrobiodiversity, will have the following components. (a) The identification and assessment of relevant ongoing activities and existing instruments at the international level. (b) The identification and assessment of relevant ongoing activities and existing instruments at the national level. (c) The identification of issues which need to be addressed and relevant knowledge. (d) The identification of priority issues for further development of the program. (e) The identification and implementation of case studies on issues identified. (f) The sharing of experiences and the transfer of knowledge and technologies*” (UNEP 1996a).

COP3 also decided to draw “*the attention of international funding agencies to the urgent need to support the conservation and sustainable use of biological diversity important to agriculture and invites these agencies to provide information and feedback in this respect to the Conference of the Parties and in this context, requests the interim financial mechanism [the Global Environment Facility - GEF] to give priority to supporting efforts for the conservation and sustainable use of biological diversity important to agriculture in accordance with this decision*” (UNEP 1996a).

Furthermore, COP3 decided to encourage “*interested Parties and international agencies to conduct case studies on the two initial issues identified by the Subsidiary Body on Scientific, Technical and Technological Advice in Recommendation II/7, described in Annex 3*” [of Decision III/11 - Pollinators and Soil Micro-organisms] and instructed “*the Subsidiary Body on Scientific, Technical and Technological Advice to coordinate and assess the lessons learned from work on the topics described in Annex 3 and to report back thereon to the Conference of the Parties, as appropriate*” (UNEP 1996a).

The terms of reference approved by COP3 for conducting case studies on the initial issue of pollinators were listed in Annex 3 of Decision III/11 as:

- a) "Monitoring of the loss of pollinators worldwide";
- b) "Identification of the specific causes of pollinator decline";

- c) "Estimation of the economic cost associated with reduced pollination of crops";
- d) "Identification and promotion of best practices and technologies for more sustainable agriculture";
- e) "Identification and encouragement of the adoption of conservation practices to maintain pollinators or to promote their re-establishment" (UNEP 1996a).

The fourth COP, held in Bratislava, Slovakia, 4 to 15 May 1998, approved Decision IV/6 which reiterated "*the invitation of Parties and Governments for further national submissions on ongoing activities, existing instruments and lessons learnt in the area of agricultural biological diversity*", requested Parties, Governments and international organisations "*to begin to provide inputs on the development and application of methodologies for assessments of agricultural biological diversity and tools for identification and monitoring*", requested SBSTTA "*to develop and provide the COP in its fifth meeting advice and recommendations for the development of the first phase, and subsequent phases, of the multi-year work program on agricultural biological diversity*" (UNEP 1998a).

The COP also approved an important initial decision on Biodiversity Assessment, Monitoring and Indicators (Decision III/10) (UNEP 1996b), which among other things approved the establishment of an "Indicator Initiative" for the development and implementation of biodiversity monitoring, materialised in Recommendation III/5 of SBSTTA, which was endorsed by Decision IV/1 at COP4 (UNEP 1998b). Also relevant was the approval at COP3 of a "Global Taxonomy Initiative" by Decision III/10 (UNEP 1996b), and further elaborated by Decision IV/1 (UNEP 1998b), which was based partially on the recommendations of the Darwin Workshop (Environment Australia 1998). Another important relevant development in the CBD was the approval by Decision II/8 that an "*ecosystem approach should be the primary framework of action to be taken under the Convention*", initially characterised in SBSTTA Recommendation I/3, a concept currently being developed within the CBD, as exemplified by the key principles recommended by the Malawi Workshop (UNEP 1998c).

The COP Decision III/5 (UNEP 1996c) further called on the Global Environment Facility - GEF, in accordance with Decision III/11, to provide financial resources to developing countries for country driven activities and programs, consistent with national priorities and objectives, for supporting, as a priority, efforts for the conservation and sustainable use of biological diversity important to agriculture.

The GEF Secretariat is working together with implementing agencies, STAP, the CBD Secretariat, and other stakeholders to address operational aspects of carrying out COP guidance on agrobiodiversity. Recently the GEF released a draft framework document on how it can support activities concerning the conservation and sustainable use of biological diversity important to agriculture (GEF 1998), in response to COP Decision III/11. This statement aims to respond to COP Decision III/5 within the GEF mandate, which is to operate as a mechanism for the purpose of providing new and additional grant and concessional funding to meet the agreed incremental costs of measures to achieve agreed global environmental benefits. Recently the GEF decided to establish a new Operational Program on Agricultural Biodiversity.

An important initiative calling for the establishment of adequate policies for the conservation of pollinators has been documented by Stephen Buchmann and Gary Nabhan in their book "The Forgotten Pollinators" (Buchmann and Nabhan 1996; see their Appendix 1 on the Call for a National Policy on Pollinators).

With a view to contributing to the development of the CBD's multi-year work program on agricultural biological diversity (approved by COP Decisions III/11 and IV/6) the Brazilian Government decided to hold an international workshop of experts to discuss a framework for an International Initiative on the Conservation and Sustainable Use of Pollinators as one of the key elements in the first phase of this CBD work program and based on the Terms of Reference provided by Annex 3 of COP Decision III/11. We hope the recommendations produced by this workshop will help foster support from agencies worldwide to enhance initiatives on all continents on pollinator conservation and their sustainable use. This would provide critical data and experience, promote partnerships between agricultural, conservationist and academic institutions which would help to mainstream the issue of biodiversity in our society and direct the conservation movements to promote the maintenance of biodiversity as an essential component to ecosystem functioning.

The following broad questions were put before the workshop participants:

1. Do we all agree we have a problem of pollinator decline (both in abundance and in species richness) and in pollination deficit, which already affects agriculture [including managed forests and rangelands, as

- well as adjacent natural ecosystems] productivity and sustainability? How serious is this problem? Is it getting worst? Do we have adequate data to assess and quantify the current status and trend? Is the issue equally important/urgent in all continents and for all kinds of animal-pollinated crops? Could we provide a critical and comprehensive assessment of available data worldwide, continent-by-continent?
2. Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the current status and trend of **pollinator decline** (both in abundance and in species richness)? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
  3. Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the current status and trend of **pollination deficit** or flower resources harvested by wild pollinators? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
  4. Do we have adequate data to identify the relative importance of the different putative **causes of pollinator decline** in the different regions of the world? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the relative importance of current causes of pollinator decline? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
  5. Do we have adequate data to assess the current impact of **habitat fragmentation** on pollinator diversity in the different regions of the world? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the contribution of habitat fragmentation to pollinator decline? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
  6. Do we have adequate data to assess the current impact of **introduced exotic species** on pollinator diversity in the different regions of the world? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the contribution of introduced exotic species to pollinator decline? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
  7. What kinds of criteria and assessments should be required before authorising the **introduction of exotic pollinators** to ensure the conservation of pollinator diversity to enhance agriculture sustainability? Could we provide national and international agriculture agencies with a set of concrete actions, criteria and targets to be implemented to promote and ensure the safe introduction of exotic pollinators that could have a positive impact on agriculture sustainability?
  8. Do we have adequate data to assess the current impact of **pesticides** on pollinator diversity in the different regions of the world? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the contribution of pesticides to pollinator decline? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
  9. Do we all agree we have a problem of **taxonomic impediment** related to most pollinator groups, which limits our capability to assess and monitor pollinator decline and to sustainably manage and conserve pollinator diversity? How serious is this problem? Do we have adequate data to assess the current status and trend? Is the issue equally important/urgent in all continents? How much effort and time would it take to eliminate this impediment? What could be done internationally or at the regional and national level to significantly reduce this problem in a relatively short time?
  10. Do we have adequate data to **identify the effective pollinators of all major crops** of the world, continent by continent? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the effectiveness of key pollinators of all major crops of the world? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?

11. Do we have adequate data to quantify the **economic value** of pollination to agriculture worldwide, in the different regions of the world? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of the economic value of pollination to agriculture and to assess the economic impacts of pollinator decline and pollination deficit? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
12. Are the current **conservation efforts** worldwide sufficient to halt the pollinator decline? Do the current conservation efforts aimed at biodiversity conservation have a significant impact on the conservation of native pollinators for agriculture? What kinds of conservation efforts/initiatives and criteria would be most appropriate to ensure the conservation of pollinator diversity to enhance agriculture sustainability? Could we provide national and international conservation and agriculture agencies with a set of concrete actions, criteria and targets to be implemented to promote and ensure the conservation of pollinator diversity, which could have a positive impact on agriculture sustainability?
13. Could we provide national and international agriculture organisations with a set of concrete actions, best practices and targets to be implemented to promote and ensure the **conservation of pollinator diversity**, which could have a positive impact on agriculture sustainability? Could we propose a set of concrete initiatives to **promote the co-operation** between agriculture and conservation agencies to enhance pollinator conservation and sustainable use?
14. Could we provide conservation and agriculture agencies worldwide as well national agencies and NGOs with an updated **Redbook list of endangered pollinator species**, including information on their nesting and flower requirements, at the global, regional and national level? Do we have enough experts and adequate standardised methods to conduct a worldwide quantitative assessment of endangered pollinators? How much time and resources would we need to do it? Could we obtain the necessary data to produce a first worldwide “Global Biodiversity Outlook report on Pollinator Diversity” for the Convention on Biological Diversity in, say, three years time?
15. Are the current **restoration efforts** worldwide sufficient to revert or compensate the pollinator decline? Do the current restoration efforts aimed at biodiversity conservation have a significant impact on the conservation of native pollinators for agriculture? What kinds of restoration efforts/initiatives and criteria would be most appropriate to ensure the restoration of pollinator diversity to enhance agriculture sustainability? Could we provide national and international conservation and agriculture agencies with a set of concrete actions, criteria and targets to be implemented to promote and ensure the restoration of pollinator diversity, which could have a positive impact on agriculture sustainability?
16. Are the current pollinator/pollination management practices sustainable? Do the current pollinator/pollination practices have a significant impact on the conservation of native pollinators? Can we provide an assessment of such impact? What kinds of management efforts/initiatives and criteria would be most appropriate to ensure the conservation and **sustainable use of pollinator diversity** to enhance agriculture sustainability? Could we provide national and international agriculture agencies with a set of concrete actions, criteria and targets to be implemented to promote and ensure the sustainable use of pollinator diversity that could have a positive impact on agriculture sustainability?
17. As the 172 countries which have ratified their membership to the Convention on Biological Diversity are obliged to regularly present **National Reports** to the Conference of the Parties (COP) about the measures taken to implement the objectives of the Convention and to report on the effectiveness of such measures, could we provide the COP with suggested **guidelines** on how countries could prepare a first report on the issue of pollinator diversity conservation and sustainable use, based on the terms of reference already approved in Decision III/11 (paragraph 11 and annex 3)?

\* Braulio Dias, Ministry of the Environment, Brazil

## DIVERSITY OF PLANTS AND DIVERSITY OF POLLINATORS \*

There are some 240,000 species of flowering plants described. Why are they so diverse? Why are their flowers so different in shape, colour and odour? The sexual organs of a plant are in its flowers. To set seed, flowers must be pollinated. This means, the male genes in a pollen grain must be brought from the male organ, the anthers, of a flower to the stigma, or female part, of another flower of the same species. In some cases this is done by wind or water. However, pollination in the majority of plants, specialised pollinators are needed to transfer the pollen between co specific flowers.

Pollinators are found in diverse groups of the animal kingdom; among them birds, bats, opossums (relatives of kangaroos), giraffes, reptiles, flies, beetles, moths, butterflies, wasps and - last but not least - bees (Faegri and van der Pijl 1979, Proctor *et al* 1996). Each pollinator species reacts to and is attracted by a specific set of signals given by the flowers. This variety of signals and the different modes of reaction by the receiver clearly show that most of the interrelations between plants and their pollinators are finely tuned and can be easily disturbed or broken.

### Diversity of pollination syndromes

Pollinators are animals that visit flowers to collect resources like nectar, oils, pollen, scents, etc. for their own use and for their young. It is not their aim to pollinate, but they are exploited by the flowers for this purpose. Plants produce pollen for their reproduction and, to breed successfully, they need specialised, reliable pollinators and, therefore, often hide their pollen from non-pollinating visitors. Each structure designed to hide the pollen or nectar results in the evolution of 'tools' to exploit it. Most of the forces which both shape flowers also mould the bodies and behaviour of pollinators and the surprisingly high diversity arises from these conflicting interests. According to their specific set of signals and reactions, flowers and their pollinators can be arranged in groups.

### *Melittophily*

Melittophilous plants are attractive to bees. Their flowers are sweetly scented and most blue or yellow, rarely red. Bee-pollinated flowers show the highest diversity of all animal-pollinated plants. Much of the diversity in shape is due to the high variety of mechanisms by which the flowers hide or present their pollen and nectar. Plant and bee co evolution is based on the offer of resources that are can only found in melittophilous flowers: droplets of resin, fatty oils and perfumes that are collected by numerous species of highly specialised bees. Furthermore, several melittophilous flowers imitate the shapes and the sex perfumes of female insects in order to attract the males that are the pollinators. There might be as many as 40,000 species of leafcutter bees, sweat bees, mason bees, sand bees, carpenter bees, minor bees, carder bees and sting less bees. The well-known honeybee is one of only seven species in the genus *Apis* worldwide. Bees pollinate the majority of the 240,000 species of flowering plants.

### *Myiophily*

The high diversity of fly-pollinated flowers is based on a variety of imitations with which they attract flies. They mimic the different substrates onto which flies lay their eggs. The display of those mimicked substrates is often combined with traps which imprison the flies. Scent, colour and form of the flowers depend on the matter used in deceit: faeces, carcasses, rotten plants, fungi etc. Other flies, like hoverflies visit the open flowers which are attractive to bees.

### *Cantharophily*

Some beetle-pollinated flowers are easily accessible but others form traps in which the pollinators are caught, dusted with pollen and released. The flowers emit strong odours which attract their pollinators and heating the flower often stimulates odour emission. Visual cues are less important for the beetles in detecting these flowers.

### ***Sphingophily***

Moth-pollinated flowers open only at night. Their strong sweet perfumes attract moths from afar. The moth remains on the wing while introducing its tongue into the deep nectar container, the entrance of which is star-shaped. These flowers include the longest nectar bearing tubes known in the plant kingdom. Much of the diversity originates from variations in the lengths of the floral tubes and the pollinators' mouthparts.

### ***Psychophily***

Butterfly-pollinated flowers emit an agreeable smell and have attractive colours. Their shape is usually a combination of a tube with a star-shaped display on top. These tubes are considerably shorter than those of sphingophilous flowers. The flowers open and are visited during daytime. Nectar is available in small amounts, and has a low sugar content to enable it to pass through the narrow canal of the insects' tongue. Besides butterflies, certain long-tongued flies visit such flowers.

### ***Ornithophily***

Bird-pollinated plants are often long-lived shrubs or trees. Their flowers are usually unscented but characterised by their bright, often contrasting colours, which often include scarlet. Usually the flowers are exposed outside the foliage so that they can be easily approached in flight. The large amount of nectar has low sugar content and is often located at the base of the tubular flower. The high diversity of tubes coincides with the lengths and curvatures of the birds' beaks. The plants differ in whether they have landing platforms in front of the flowers. Some 2,000 (of 9,000) species of birds in some 50 families are pollinators. Birds have high-energy demands and are relatively long-lived, necessitating a sufficient supply of nectar year-round - either by long-lasting blooms or by a sequence of different plants producing flowers.

### ***Chiropterophily***

Bat-pollinated flowers have sour or cabbage odours. Generally they are located outside the foliage so they are readily approached by their nocturnal pollinators. The flower is large to accommodate the large head of a bat and, as the bat often holds on the flower or inflorescence, is robust. These pollinators have high-energy needs and are long-lived, which requires a continuous sequence of flowers for an adequate supply of nutritious nectar in the form of large quantities of dilute, often somewhat slimy, nectar.

### **The key role of pollination**

Pollination is one of the most important mechanisms in the maintenance and promotion of biodiversity and, in general, life on earth. Only after pollination can plants set seed and fruit, and plants depend on seeds for reproduction. Fruits (e.g. cucumbers, bananas, avocados, figs, cherries) and seeds (e.g. soy beans, peanuts, hazelnuts, sesame) are essential food for man and animals, as are their leaves (e.g. green salad), flowers (e.g. cauliflower and broccoli), stems (e.g. sugar cane) and roots (e.g. sweet potatoes). Maintaining the diversity of plants and pollinators also means maintaining the diversity of our food, even meat, as live stock fodder, such as clover and other forage legumes, require pollination for seed set.

\* Dieter Wittman, University of Bonn, Germany

### **THE IMPORTANCE OF POLLINATION TO AGRICULTURE AND THE RISKS OF POLLINATOR DECLINE \***

[\* asterisk of previous line not to appear in Table of Contents]

One-third of the economic worth of the total agricultural production of the U.S. depends on insects visiting the crops' flowers so that the plants can produce seeds and fruits (McGregor 1972, [<http://gears.tucson.ars.ag.gov/book/index.html>]; Buchmann and Nabham 1996). As there is less wind pollination and more animal pollination in the tropics we can expect the proportion worldwide to be even higher. The annual value of this service in the U.S. alone is calculated at US\$ 6-8 billion (G. Nabham per. obs.) and the estimate worldwide is US\$ 65-70 billion (Pimentel *et al* 1997). In their presentation at this Workshop Kenmore and Krell estimated loss through lack of pollination for the 30 crops they cite to be US\$ 54.6 billion representing a 46% loss of harvest.

Specialists estimate that two-thirds of the world's 3,000 species of agricultural crops require animals for pollination. Thousands of species of animals are responsible for this service comprising bees, birds, wasps, beetles, butterflies, moths and flies (Buchmann & Nabhan 1996; Kevan, 1999). By far the greatest part is provided by bees, which are responsible for the pollination of some 73 % of the world's crops (Roubik 1995a). The most widely used species in crop pollination is the honeybee (*Apis mellifera*) which is the only one that has been thoroughly domesticated.

Fundamentally agro-ecosystems are much the same as natural ecosystems in that some are more complex with greater numbers of species and some are simpler with fewer. This complexity is a result of the many links between the species present. Species depend on others for many services, the most obvious of which are in providing food and shelter and in the production and dissemination of their seeds. Therefore, it seems inevitable that the increasing specialisation relying on fewer species, varieties and genetic strains of crops be reflected in losses of associated species of native organisms. However, in most instances we know little of the extent that agricultural success depends on these other species.

A major problem is emerging for the world's agricultural production reflecting the risk involved in relying on a single species (Buchmann & Nabhan 1996). Recently honeybees in many parts of the world have contracted the pandemic disease – varroaosis caused by minute *Varroa* mites. Largely due to the presence of this disease in the U.S. (the only country for which reliable data exist) the number of honeybee colonies has decreased by one-third over the past six years. Fruit and vegetable growers in the U.S. and in Europe are complaining of poor fruit sets despite good blooming. As varroaosis has already spread throughout most of the world specialists consider it a matter of time before other countries also become seriously affected.

Farmers and growers have begun asking about the use of native bees. There are probably more than 25,000 species of bees worldwide and many of them are known to be efficient pollinators of crops (Crane and Walker 1984, Roubik 1989, O'Toole and Raw 1991). Although most estimates of the economic value of crop pollinators give credit to the honeybee (*Apis mellifera*) (Southwick and Southwick 1989 & 1992), many other species of bees are involved (Richards 1993). For some years several species of wild bees have been managed for the pollination of crops (Bohart 1972, Torchio 1987, 1990, 1991, 1994) and the management of additional species for glasshouse crops has developed rapidly during the past few years.

However, the numbers of native bees are dwindling; some species seriously so. Declines in the numbers of native species have been reported in Central and North America (Janzen 1974, Torchio 1987, Kevan *et al* 1990, Kevan *et al* 1996, Frankie *et al* 1997, Allen-Wardell *et al* 1998) and six countries in Europe (Corbet *et al* 1991, Osborne *et al* 1991, O'Toole 1994, Banaszak 1995, 1996, Williams 1989 & 1996). Most of the reliable information is on species which visit crops. The losses are due mostly to the use of agrochemicals and monocultures and to deforestation. The chemicals kill bees and, with the removal of wild vegetation and crop specialisation, the bees find neither places to nest nor alternative flowers while they await the crop to bloom (Rathcke and Jules 1994).

The emergence of a serious and widespread honeybee disease has made it clear that native pollinators need be exploited for the pollination service they can provide and that agricultural practices be designed to incorporate the protection and the sustainable management of the bees' populations.

The rapid development of transgenic crops raises additional causes for concern among specialists on bees. The employment of an herbicide or pesticide coupled with a variety of crop resistant to it could eradicate all alternative forage for pollinators leading to a devastation of their numbers.

The emphasis in this Workshop was on suggesting means of reducing the effects of the losses of pollinators to agriculture, however, there is another positive side to the issue. We have little or no information on most of the world's crops to be able to say if they receive adequate visits of pollinators to effect maximum yields, yet detailed research on numerous crops has demonstrated clearly that pollination can be a limiting factor to yields. Many farmers invest heavily in fertiliser and pest control, but do not heed the pollination requirements of their crops. The recommendations of the Workshop should enable us to improve the yields of many crops whose production depends on animal visitors.

\* Anthony Raw, University of Brasília and State University of Santa Cruz, Ilhéus, Brazil



# WORKSHOP RESULTS: THE SÃO PAULO DECLARATION ON POLLINATORS

## EXPLANATORY REMARKS

The problem of the emerging pollinator crisis emphasises the need for a multi-faceted approach which unites the expertise of a wide variety of scientists. On the one hand are the bee taxonomists, those studying the biology of pollinators and managing their populations. On the other are botanists concentrating on pollination, crop management and economic botany. At a different level the pollinator crisis exemplifies the intimate relationship existing between the welfare of natural environments and their biodiversity and the needs of sustainable agriculture.

The six work groups produced a total of 31 proposals for action (Table 2). In practice the number is greater as two groups presented single composite actions. Through their deliberations a framework of proposals for action was compiled to enable the establishment of an international initiative for the conservation, restoration and sustainable use of pollinators worldwide. There follow the recommendations of the workshop on *The Conservation and Sustainable Use of Pollinators in Agriculture with Emphasis on Bees* (as a contribution for the implementation of Decision III/11 of the Convention on Biological Diversity).

## SUMMARY OF MAJOR FINDINGS

1. All the participants remarked that we have insufficient reliable data on the reported declines in the numbers of pollinators and their effects on agriculture worldwide.
2. Some experts have clear evidence demonstrating that numbers have declined, while most stated their data only suggest that pollinators are declining, but all considered the information to indicate emphatically that an impending crisis exists.
3. They stated that reliable methods are available to collect standardised data worldwide, on the status and trends of pollinators, provided that institutional support is given and more experts are trained.
4. All stressed the need to have access to reliable data on the reported declines to:
  - a. Explain why they are occurring,
  - b. Make confident evaluations of their expected effects on agricultural production,
  - c. Select the necessary action to resolve the question.
5. The experts agreed on the difficulties in obtaining reliable identification of pollinators (especially of bees) which are vital for the success of both the monitoring programme and pollination management.
6. They emphasised the need to expand the understanding of pollination requirements of crops worldwide.
7. All recognised the need to produce manuals on methods and catalogues of species and interactions.
8. The experts called for the creation of networks and websites with databases of specialists, publications and information on pollination requirements of crops, pollinators decline and management.
9. The need for better public awareness of the problem was recognised, as well as the dissemination of best practices on native pollinators conservation and sustainable use.
10. The major tasks are to:
  - a. Monitor the numbers and diversity of pollinators of target crop systems and landscapes;
  - b. Determine the pollination requirements of crops and their effective pollinators;
  - c. Refine the estimates of the economic worth of pollination and the cost of its decline;
  - d. Test and recommend pollinator management and restoration strategies;
  - e. Appraise methods to increase the sizes of pollinators' populations and diversity,
  - f. Stimulate public awareness of the role of pollinators in their lives.

## LIST OF PROPOSALS FOR ACTION

### Taxonomic impediment:

1. Assess the scale of the Taxonomic Impediment
2. Maintain continuity of existing taxonomic and reference collections of bees
3. Establish Centres of Excellence in Bee Taxonomy
4. Train bee taxonomists
5. Train parataxonomists
6. Repatriate data [Capacity building and benefit sharing]

7. Stimulate taxonomic output
8. Hold a Workshop on motivation and training of parataxonomists
9. Hold a Workshop on automated systems for bee identification

**Monitoring the decline:**

1. Establish a committee to co-ordinate a global monitoring plan and network
2. Refine plans and methods for implementation of a global monitoring plan
3. Assess methods, prepare manuals for monitoring pollinators and train participants
4. Implement a pilot global monitoring program in selected areas worldwide
5. Assess the potential impact of exotic pollinators on native pollinators
6. Establish a network of websites with databases for all pollinator monitoring data
7. Prepare a Global Biodiversity Outlook Report on the status and trends of pollinators
8. Promote follow up activities to ensure continuity and improve the proposed program

**Causes of decline:**

1. Assess pollinator diversity and pollinator efficiency in representative agroecosystems and adjacent natural and semi natural environments
2. [This issue needs further attention, as workgroup report was not submitted]

**Economic Importance:**

1. Establish a network of experts and a network of databases
2. Determine the pollination requirements of each crop species
3. Determine best pollinators for each crop species
4. Determine impact of pollinator presence/absence on fruit and seed yield
5. Establish pollination models for selected crops
6. Develop a generalised economic method for evaluation of crop-pollinator-pollination systems
7. Conduct cost/benefit analyses for different crop and pollination systems, at the farm level
8. Conduct total crop production cost analyses for different crop-pollinator-pollination systems, at the national level, including externalities
9. Conduct cost analyses for changes from one crop-pollination system to another, at the international level, including infrastructure maintenance
10. Disseminate information generated by various means

**Conservation and restoration:**

1. Establish an international advisory group on pollinator conservation
2. Establish an international information network on pollinator conservation and a global directory of pollinator experts
3. Assess the state of scientific and indigenous knowledge on pollinator conservation
4. Develop and update global and national lists of threatened pollinator species
5. Develop model-testing protocols for the introduction of non-native pollinators and to assess impacts of agrochemicals on pollinators
6. Develop an international communication outreach capacity
7. Produce multilingual manuals on pollinator conservation and restoration for farmers
8. Create “bee smart” certification labels for “pollination friendly” products

**Sustainable use:**

1. Disseminate information on pollination in agricultural environments through data bases, websites, and networks
2. Establish a roster of existing pollination and pollinators experts to serve as a pool for consultations in technology transfer
3. Promote applied research on pollination in agricultural ecosystems through training of post-graduates to work on gap issues
4. Protect natural habitats, within agricultural landscapes, as sources of wild pollinators for crop improvement
5. Evaluate positive and negative effects of alternative practices and technologies in agricultural production on pollinator conservation and effectiveness
6. Evaluate impacts on pollination of practices and technologies used in agricultural production
7. Improve the knowledge on the real needs of pollination of tropical crops and forest trees

8. Gather and disseminate/exchange information of best practices
9. Conduct risk/impact assessments of main causes of pollination decline
10. Develop guidelines for policy makers and for farmers

## **FOLLOW-UP RECOMMENDATIONS**

The participants of the workshop proposed follow up activities to promote the initiative which needs to be developed:

1. Propose that COP5 formally establish an *International Pollinators Initiative* based on the framework for action contained in this report.
2. Request that COP5 call for international Co-operation to develop the *International Pollinators Initiative*. It is suggested that this initiative be supported by existing organisations, particularly the relevant organs of FAO, and IUCN, IBRA, ICPBR and Apimondia.
3. Recommend that COP 5 request the financial support of the Global Environment Facility - GEF for this initiative.
4. Recommend that COP 5 requests SBSTTA to co-ordinate, with support from the Executive Secretary, the preparation of a first *Global Biodiversity Outlook Report on Pollinators – GBO-P*.
  - a) It is suggested that a first GBO-P be prepared for 2002 based on published and other existing data.
  - b) A second GBO-P could be prepared for 2005 based on standardised monitoring of pollinators and pollination worldwide. This will depend on establishing the monitoring programme with a functioning network of agreed selected sites and proven methods.
5. Propose the creation of a Pollinators Specialist Group within the Species Survival Commission of the IUCN.

## **CONVERGENCE OF PROPOSALS**

The proposals for action of this Workshop are varied, but many are concerned with the collection of reliable information and its dissemination. The predominance of these two subjects demonstrates the participants' desire to have access to better data. Some of this information already exists but is not readily available, while much additional data need to be collected.

### **Need to collect reliable data:**

- a) Standardised monitoring of the numbers of pollinators (particularly bees) over a worldwide network of selected sites is essential for identifying patterns of change in their numbers.

The monitoring programme would entail substantial improvements in the services of the identification of pollinators and there is a serious limiting taxonomic deficit in this respect.

Assessment of the pollination requirements of agricultural crops and of the roles of pollinators will permit improvements in pollination and thus of crop production.

Assessment of the economic worth of crop pollinators should be feasible once the data from # 3 are available.

Identification of the means of conserving and increasing the numbers of pollinators is a subject for multidisciplinary approach.

### **Communication:**

#### *Suggested publications:*

- Manuals on monitoring techniques
- Manuals for measuring pollinator decline
- Manuals for promoting pollinator recovery
- Global Biodiversity Outlook Reports on the Status of pollinators

#### *Web site:*

A co-ordinated network of web site is required with lists of researchers, crops, pollinators, pollination, publications, crop losses and all the data from the monitoring programme. It should be organised at local and global levels and with Internet access. This might be organised and run by FAO and IBRA.

#### *Education:*

- Educational programmes for the public, for schools and for post-graduate courses.
- Training programmes for entomologists and parataxonomists.

- Use of post-docs in long-term studies, to disseminate knowledge and in regional training programs, with the standardised methodologies established in this programme, emphasising regionally important pollinators.

#### **Further specialist meetings:**

Another international planning workshop like the Sao Paulo workshop should be organised and aimed at specialists from Asia, Australasia, Eastern Europe and Africa (regions under-represented at the Sao Paulo workshop) to complement the recommendations of the Sao Paulo workshop, from the perspectives of these regions. This event could provide an opportunity to further detail the proposals for actions recommended in São Paulo, as well as consolidate the support of international and national agencies to the proposed International Initiative on the Conservation and Sustainable Use of Pollinators.

Regional meetings should be organised in each continent, similar to the one that discussed the European perspectives held at the Linnean Society, London, 8 April 1995. Nevertheless, international participation and guidelines are important for helping in the establishment of new and stronger joint projects, emphasising a general improvement of the pollinators' use on a global scale.

#### **Follow-up discussions at international meetings:**

##### *International Congress of Entomology, Iguacu, Brazil*

In one follow up activity for the proposed framework for an International Initiative on the Conservation and Sustainable Use of Pollinators the Organising Committee of the XXI International Congress of Entomology, to be held in Foz do Iguacu in Brazil in the year 2000, has agreed to hold a symposium on the "International Initiative on the Conservation and Sustainable Use of Pollinators".

##### *Seventh IBRA Conference on Tropical Bees, Chiang Mai, Thailand*

It is planned to present an interim report on the São Paulo workshop and its consequences at the Seventh IBRA Conference on Tropical Bees: Management and Diversity, Chiang Mai Thailand, 19-25 March 2000.

##### *Eighth International Symposium on Pollination, Hungary*

It is planned to present further information on the São Paulo "International Initiative on the Conservation and Sustainable Use of Pollinators" at the Eighth International Symposium on Pollination in Hungary, 10-14 July 2000.

##### *International Congress of Zoology, Athens, Greece*

One of the Plenary Sessions at the International Congress of Zoology to be held in Athens, 28 August - 2 September 2000 will be devoted to the Taxonomic Impediment, using bees as an example and drawing on the deliberations of the São Paulo Workshop.

## ANNEXES

### WORKSHOP PROGRAM 7-9 OCTOBER 1998

#### DAY 1. STATE OF THE ART AND IMPORTANCE OF THE ISSUE

7 October: An open seminar with invited speakers

08:45 – 09:30 hr	Opening ceremony
09:30 – 10:30 hr	<b>Round table: The importance of pollinators to agriculture</b> Kenneth Richards and Peter Kevan. Aspects of bee biodiversity, crop pollination and conservation in Canada. Ingrid Williams. Insect pollination and crop production: a European perspective. John Donaldson. Do pollinators matter? Plant pollination and sustainable agriculture in the southwestern part of South Africa. David Roubik. Coffee pollination in the Americas for the 21st Century?
10:50 – 11:50 hr	<b>Round table: The causes of pollinator diversity decline</b> Marcelo Aizen. Forest fragmentation, bee decline and plant pollination in Argentina. Luiza Ruz. Bee pollinators introduced into Chile. Amots Dafni. Fire, <i>Bombus terrestris</i> and the threat to solitary bee diversity in a Mediterranean ecosystem. Claudia Jacobi. Dispersal studies in pollinator-crop systems.
11:50 – 12:30 hr	<b>round table pollinator monitoring</b> Gordon Frankie, S. Bradleigh Vinson and Robbin Thorp. Monitoring; an essential tool for bee ecology and conservation. Afonso Orth and Sebastião Laroca. Melissocoenotics: historical perspective, method of sampling and an essay on the detection of diversity – Monitoring parameters at community level.
<b>Poster section</b>	
14:00 – 15:15 hr	<b>Round table: Impediments in pollinator taxonomy</b> Connal Eardley. Afrotropical bees now. What next? Christopher O'Toole. Those other bees: how can we change the funding culture? Ricardo Ayala. Bee diversity in Mexico. Fernando A. Silveira. Knowing the local pollinator fauna as a condition for conservation and management: the Brazilian wild bee fauna. Dieter Wittmann, S. Schröder, V. Roth and V. Steinhage. Automated identification system for bees (Hymenoptera, Apoidea).
15:15 – 16:25 hr	<b>Round table: Conservation of pollinator diversity</b> Stephen Buchmann. Estimation, conservation and sustainable uses of native bees for pollination of agricultural and wild land plants in the United States, with implications for the tropics. Michael Ruggiero. A federal agency's interest in saving pollinators. Koos Biesmeijer. Partitioning of nectar resources, thermal melanism and biogeography of sting less bees. Paulo Eugênio Oliveira. Pollinators of Cerrado trees: diversity and its consequences. Paulo Nogueira-Neto. Management of plants to maintain and study pollinating bee species, and also to protect vertebrate frugivorous fauna.
16:45 – 17:45 hr	<b>Round table: Sustainable use of pollinators</b> Aad de Ruijter. Sustainable beekeeping and pollination with honeybees, bumblebees and solitary bees. Hayo Velthuis. The introduction of bumblebees into agriculture. Haroldo Toro. Pollination of <i>Prosopis</i> in the Atacama Desert. Rainer Krell. Global perspective of pollination on agriculture. Gerhard Gottsberger and Christian Westerkamp. The costly crop-pollination crisis.
17:45 – 18:00 hr	<b>Talk on organisation of the work</b>

18:00 – 18:30 hr	Braulio Dias. Results expected from the workshop and organisation of the work. Discussion on expected results
18:30 – 19:30 hr	Evening co-ordination meeting for organisers, co-ordinators, key participants and rapporteurs.
Issues:	Review range of possible proposals for action Review possible follow up and co-ordination initiatives Review ideas on the publication of book with submitted papers Organisation of work for day 2

## **DAY 2. FRAMEWORK FOR AN INTERNATIONAL INITIATIVE ON POLLINATORS**

8 October: Work Group discussions

08:30 – 09:00 hr	Short Plenary on the organisation of Work Groups
09:00 – 17:15 hr	Work Group discussions Six Work Groups, one each on the following program elements: 1. Reducing the Taxonomic Impediment on Pollinators 2. Monitoring the Decline of Pollinators 3. Identifying the Causes of Pollinator Decline 4. Quantifying the Economic Value of Pollinators to Agriculture 5. Conservation of Pollinator Diversity 6. Sustainable Use of Pollinators
13:30 – 14:00 hr	Co-ordination meeting for organisers, co-ordinators and rapporteurs
Issue:	Assess functioning of work groups
17:15 – 18:45 hr	Short Plenary with presentation of Work Group reports
18:45 – 19:30 hr	Co-ordination meeting and informal meetings for organisers, co-ordinators, key participants and rapporteurs
Issues:	Assess functioning of work groups Discuss preparation of work group reports Organisation of work for day 3 Review range of possible proposals for action Review possible follow up and co-ordination initiatives

## **DAY 3. CONSOLIDATION OF RECOMMENDATIONS**

9 October An open plenary session with discussion of work group proposals

08:30 – 09:00 hr	Short Plenary on the organisation of Work Groups
09:00 – 12:15 hr	Work Group discussions (continuation)
13:30 – 14:00 hr	Co-ordination meeting for organisers, co-ordinators and rapporteurs
Issues:	Assess conclusion of discussions in work groups Review preparations for presentation of work group reports Organisation of work for the afternoon
14:00 – 17:30 hr	Plenary Session Presentation of Work Group reports Discussions on Follow up activities
17:30 – 18:00 hr	Closing ceremony
18:00 – 20:00 hr	Co-ordination meeting for organisers, co-ordinators and rapporteurs
Issues:	Assess results of work groups and plenary session Review preparation of work group reports Review preparation of workshop report Selection of the editors for the book resultant from the meeting

# FRAMEWORK OF ACTIONS TO IMPLEMENT INTERNATIONAL POLLINATORS INITIATIVE

## Possible kinds of actions

At the start, possible topics, which might be discussed by the work groups, were suggested and the participants encouraged adding their own ideas. Some topics were discussed in more than one work group.

The list included the following:

Monitoring and indicators	information dissemination
Targeted research	training and capacity building
Case studies	economic incentives and measures
Conservation efforts	partnerships and co-operation
Restoration efforts	policy measures
Best practices for management	legislation

The specific suggestions provided for the separate groups are listed at the start of each group's program element report under "Topics suggested for discussion".

## Presentation of the group reports

The reports of the six work groups for the program elements of day 2 are presented with their Proposals for Action. The structure of the reports of the work groups presented below is not standardised as it is considered important to maintain the original presentation of the co-ordinators of each work group.

However, each group was requested to present their **proposals for action** in a standardised format. The structure suggested for each proposal for action comprised:

- A concise and clear title,
- Concise description of objectives,
- Rationale and urgency of the proposal,
- Indication of how the objectives can be achieved,
- Proposal of a feasible timeframe to implement the proposal,
- Identification of the needs and opportunities for partnerships and co-operation, and
- Identification of major constraints for the implementation of the proposed action.

## PROGRAM ELEMENT 1: REDUCING THE TAXONOMIC IMPEDIMENT ON POLLINATORS:

Co-ordinator: Christopher O'Toole,

Members:

Ricardo Ayala	Isabel A. dos Santos
Connal Eardley	Fernando Silveira
Gabriel Melo	Robbin Thorp
Jesus S. Moure	Dieter Wittmann

Rapporteur: Professor Francis Dov Por

## Topics suggested for discussion

1. Assess current state of knowledge
2. Identify constraints for pollinator taxonomy
3. Build on the recommendations of the "Darwin Declaration"
4. Assess production of regional and world catalogues of major pollinator taxa
5. Assess production of taxonomic revisions of major pollinator taxa
6. Assess production of identification keys for major pollinator taxa
7. Assess consolidation of identification services for major pollinator taxa
8. Assess preparation of directories of pollinators, pollination syndromes and experts
9. Evaluate capacity building for pollinator identification and systematic

## Preamble

The animals responsible for crop pollination are bees, birds, butterflies, moth, beetles and flies (Buchmann & Nabhan 1996). The taxonomic expertise on these animals is varied; birds, butterflies and moths are well known, but bees, beetles and flies far less so. The great majority of crops needing pollination

are pollinated by bees (Roubik 1995a) of which there are some 25,000 species (O'Toole and Raw 1991) so the work group discussed these insects.

Bees and their life-sustaining relationships with flowering plants occupy keystone positions in both natural and agricultural ecosystems (Buchmann & Nabhan 1996). Bee faunas are therefore important natural resources. As with all natural resources, inventories of their diversity and distribution are needed if we are to manage them to our best advantage (O'Toole 1993).

Unfortunately, the current state of bee taxonomy imposes severe restraints on the realisation of these goals (O'Toole 1996) - as it does for other pollinator groups like flies, wasps and beetles. This, the Taxonomic Impediment (TI), derives from serious shortfalls in investment in training, research and collections management. It seriously limits our capability to assess and monitor pollinator decline, to conserve pollinator diversity and to manage it sustainably. Moreover, there is a growing perception that access to sound bee taxonomy will be at a premium because:

- Research projects in pollination biology, both of native floras and crop plants, are on the increase and require bee identifications
- Biodiversity studies increasingly involve bees as bio-indicators via bee-plant associations and require identifications
- The pandemic disease, varroaosis has resulted in a 40-50% decrease in beekeeping in many parts of the world, emphasising a greater understanding of non-*Apis* bees as alternative, managed pollinators in agriculture

A significant factor contributing to the TI is that the average age of active bee taxonomists is so high (Table 1), yet we are not training a new generation of bee taxonomists. In the Old World the average age is 60+ (O'Toole 1996) and only in Australia are new bee taxonomists being trained. This situation obtains not least because most modern university departments in the biological sciences hold taxonomy in low esteem. Therefore, we highlight the urgent need for universities to raise the academic status of taxonomic research by investing in new post-graduate programmes.

In seeking to improve this situation, we draw attention to the fact that in the Western Hemisphere, the regard for taxonomy in university courses is like that of other branches of the biological sciences with a result that practising bee taxonomists in North America, Mexico and Brazil account for 61 % of the world total of those 28 scientists associated with major institutions. Nevertheless, there is a chilling fact embedded in these figures: 36 % of these specialists are beyond retirement age and only three of them, Charles D. Michener (age 81), Jesus S. Moure (age 87) and João M. F. de Camargo are involved in training a new generation of bee taxonomists (Table 1).

**Table 1. Number of practising bee taxonomists associated with major institutions by country or region.**

USA <sup>a</sup>	Mexico	Brazil <sup>b</sup>	Europe	S. Africa	China	Japan	Australia	Total
10 <sup>1</sup>	6 <sup>2</sup>	3 <sup>3</sup>	2	1	2	3	28	

<sup>1</sup> includes 7 workers officially retired, but still active

<sup>2</sup> includes 2 workers officially retired, but still active

<sup>3</sup> includes 1 worker officially retired, but still active

<sup>a</sup> figures supplied by Robbin Thorp

<sup>b</sup> figures provided by Fernando A. Silveira

The global Taxonomic Impediment is costly, especially when expressed in terms of those research initiatives in pollination and conservation ecology, which are wholly dependent on access to sound bee taxonomy and are rendered wholly non-viable in its absence. In three current British research projects with a combined budget of £ 2,072,000 (US\$ 4,035,000), only £ 2,900 (US\$ 4,640) or 0.14% was allocated for taxonomic support, even though the projects are inconceivable without it. These examples are typical of how taxonomy continues to be undervalued by the research community.

The funding culture needs to be changed so to enable:

- Future, researchers to build adequate provision for taxonomic support into their grant proposals.



- Core funding to be made available for basic taxonomic research; for too long, taxonomy has subsisted on the coat tails of other research.

There is also a global Taxonomic Deficit; that is, the unacceptably high numbers of bee genera for which identification keys are not available.

Noting that the fourth Conference of the Parties (COP 4) in Bratislava, 1998, approved Decisions IV/1 (Indicator Initiative) and IV/6 (UNEP 1998a, b) which, among other things, requested Parties, Governments and international organisations “*to begin to provide inputs on the development and application of methodologies for assessments of agricultural biological diversity and tools for identification and monitoring*”, we draw attention to the fact that:

- Where these initiatives apply to bees as pollinators, they are entirely dependent on access to bee taxonomy,
- Yet the biological community is ill served by the present state of bee taxonomy. In whole geographic regions such as the Mediterranean Basin, most of Africa and Asia there are no active bee taxonomists. Even in Western Europe there are few specialists. Furthermore, there are very few modern taxonomic monographs. Many major genera have never been revised or the revisions are out of date so identification of the species is a major problem. This means that the identification of bees is a lengthy, arcane process, dependent on direct comparisons with original type specimens.

Building upon the recommendations and resolutions of the Darwin Declaration (Environment Australia 1998) we agree that governments and multinational institutions, including funding agencies, must recognise the cost benefits of working towards the complete elimination of the Taxonomic Impediment and Taxonomic Deficit as they apply to bees and other pollinators. This is best achieved by investment in taxonomic research and capacity building. Accordingly, we signal this opportunity to put the science of bee taxonomy on a sound and secure financial basis.

Our proposals for action therefore seek to eliminate the Taxonomic Impediment and Taxonomic Deficit as a matter of global urgency and as a necessary prerequisite for the implementation of any international initiatives on the conservation and sustainable use of pollinators. The proposals are under the following headings.

a) Assessing the scale of the Taxonomic Impediment

Maintaining continuity of taxonomic and reference collections of bees

Recognition of centres of excellence in bee taxonomy

Training bee taxonomists

Training a new cadre: parataxonomists

Capacity building and benefit sharing

Stimulating taxonomic output

Supporting the development of automated identification systems

**Proposals for action: Taxonomy**

**ACTION 1. Assessing the scale of the Taxonomic Impediment**

**Objectives.**

- Identify as precisely as possible the various shortfalls which contribute to the Taxonomic Impediment.
- Provide all relevant information to governments, funding agencies and other decision and policy-makers.

**Rationale and urgency.** These objectives are a prerequisite to sound decision and policy making and the means of achieving them should be instigated as a matter of global urgency.

**Method of achievement.** The objectives will be achieved by commissioning the appropriate bodies to:

1. Produce a global database of taxonomists active in bee taxonomy
2. Produce a global database of major collections of bees, with emphasis on their particular strengths in terms of geographic coverage and type specimens held
3. List those genera of bees by continent for which there are no modern publications for the identification to species
4. List those universities in whose active undergraduate teaching is sympathetic to taxonomy and support post-graduate studies in bee taxonomy

**Timeframe.** It should be possible to achieve these objectives within 12 months.

**Opportunities for partnerships and co-operation.** Establishing regional co-ordinating bodies briefed to oversee the implementation of the above objectives, for example, for the Western Palaearctic, re-vitalise Working Group on Pollination and Pollinator Diversity Management, originally set up at a meeting in London in April 1995.

**Major constraints for implementation.** No obvious constraints other than that of adequate funding.

## **ACTION 2. Maintaining continuity of existing taxonomic and reference collections of bees.**

### **Objectives.**

- Ensure the preservation of existing collections
- Stimulate collection enhancement and development
- Assure the availability of type specimens.
- Assure the availability of data

**Rationale and urgency.** Reference collections are the main resource base for taxonomic research and identification services. Nevertheless, many are housed in poor conditions; some do not receive appropriate levels of management while others have no suitable curatorial staff. Accordingly, we regard remedial action for the continued preservation of these collections to be of high urgency and a key factor in the elimination of the Taxonomic Impediment.

**Method of achievement.** By making funds available for the:

1. Renovation of existing buildings and construction of new ones
2. Training and employment of technical staff for the basic curation of collections
3. Acquisition of preservation equipment (storage cabinets, fire protection, humidity and temperature control systems)

**Timeframe.** Three to five years.

**Opportunities for partnerships and co-operation.** A very effective way to ensure the realisation of these objectives is to establish financial support for mentor relationships between institutions with well-established, well-curated collections and those where collection management is in need of improvement. Experienced staff from the mentor institution would enter into a support relationship with the recipient institution in terms of staff training, assessing immediate needs and report to the relevant funding agencies with detailed proposals for action. Mentors would then be available for future advice and consultation.

**Major constraints for implementation.** Lack of funds.

## **ACTION 3. Establishment of Centres of Excellence in Bee Taxonomy.**

**Objectives.** To establish world and regional centres for the co-ordination and support of taxonomic work and identification services for bees.

**Rationale and urgency.** To facilitate and optimise regional taxonomic output and identification services, resources should be concentrated in regional centres of excellence instead of being widely diffused among several small institutions. Such centres will place the enhancement of bee taxonomy on a cost-effective basis.

**Achieving the objectives.** Participating countries and multinational institutions should be invited to identify and propose centres of excellence according to the following suggested criteria:

A centre of excellence should be identified as having:

- An extensive, well identified and well-curated collection of bees
- Resident specialist(s) active in research in bee taxonomy
- A programme of post-graduate training and research in bee taxonomy or willingness to commit to the establishment of such training

**Timeframe.** Three to five years.

**Opportunities for partnerships and co-operation.** Supranational organisations can help in the recognition of centres of excellence and in the establishment of appropriate partnerships between countries and institutions.

#### **Major constraints for implementation.**

- Lack of funds
- Local bureaucracy
- Sensitivities based on nationalism and inter-institute rivalry

#### **ACTION 4. Training of bee taxonomists**

**Objective.** Create a critical mass of independent bee taxonomists for the next decade, that is, doubling from the existing approximately 50 to about 100 scientists.

Bee taxonomists should be creative, high level scientists with their academic careers linked to collections with roughly one third of their time dedicated to routine identification services and the supervision of collection management, and two-thirds of their time divided between research and training.

**Rationale and urgency.** We are in the bizarre situation where our understanding of pollination biology of both crops and native floras is increasing faster than our ability to provide routine identifications of bees. Therefore, the Taxonomic Impediment subverts research in these fields and there is a global urgency to redress the balance. There are whole geographic areas such as the Mediterranean Basin, most of Africa and SE Asia where there are no active bee taxonomists. Moreover, there are many major genera which have never been revised or which have no recent revisions and their identification to species is a major problem.

**Achieving the objectives.** These would be achieved by:

- Up-grading the academic status of taxonomy-systematic
- Establishing post-graduate programmes in bee taxonomy at appropriate museums and universities
- Extending the time period for doctoral studies in taxonomy from the traditional three years to five or six years
- Ensuring ample travel funds for active bee taxonomists and doctoral students so that they may visit type depositories and key specialists.

**Timeframe.** Ten years; it takes on average 5 or 6 years to train a postgraduate independent taxonomist and the final goal of 100 bee taxonomists would have to be phased and regionally based.

**Opportunities for partnerships and co-operation.** Knowledge transfer from senior bee scientists in major centres would be a key factor in establishing partnerships between centres of excellence and countries and appropriate institutions in the developing world. These institutions will be identified by their need for sound bee taxonomy, training and the development of local reference collections.

#### **Major constraints for implementation**

- Adequate academic training
- Opportunities to established posts associated with collections
- Adequate division of time between curation, identification services and creative research
- Availability of travel grants and research funds

#### **ACTION 5. Training of parataxonomists**

Parataxonomist are defined as an auxiliary to the taxonomist and his research.

**Objectives.** After suitable training, the parataxonomist would carry out the following functions:

- Collecting and sampling, especially in monitoring or faunistic studies, often in association with the taxonomist
- Preparation and processing of specimens
- Preliminary sorting to a convenient taxonomic level (subfamily, tribe, genus)

An ideal numerical relationship would be three parataxonomists per independent research taxonomist. Ideally, positions for parataxonomists should be permanent, with the opportunity for a tracked career structure.

**Rationale and urgency.** The appropriate proportion of parataxonomists to taxonomists should facilitate and enhance the service output of every collection facility and thus contribute to the elimination of the Taxonomic Impediment.

**Method of achievement.** Taxonomists and taxonomic services providing institutions should provide training for parataxonomists in accordance with a generally agreed curriculum (see follow-up report), on a national or regional basis, either as individual training or in training courses. Undergraduates in biology

should be motivated to take an interest in this attractive new career opportunity, which is more than that of a simple technician, especially as it offers collection-related permanence. Parataxonomists should be eligible for academic up grading in their profession after a satisfactory period of activity.

**Timeframe.** Training of an undergraduate student for the position of a parataxonomist should normally take two years. In-house, workbench training by a senior colleague could take less time.

**Opportunities for partnerships and co-operation.** Partnerships between developed and developing countries and their institutions would be necessary.

**Major constraints for implementation.**

- Adequate academic staff to provide training
- Opportunity to establish salaried posts associated with collections.
- Availability of travel and training grants

**ACTION 6. Capacity building and benefit sharing**

**Objectives.** Almost all the taxonomic resources needed by entomologists working in the developing world are located in museums and other institutions in the developed world. Because the total repatriation of specimens from collections in developed countries is not a serious option, the following mitigation measures should be put into action.

- A single web site with access to all databases of type material in the world's museums and other research institutes
- Repatriation of data associated with type specimens to appropriate institutions in countries of origin.
- A single web site to make data associated with specimens available to all *bona fide* researchers in taxonomy and pollination biology.
- Exchange and transfer of information, especially literature that is not widely available outside the museums and institutions of the developed world using photocopying and scanning facilities
- Provision of appropriate modern journals and monographic revisions to museums and institutions in developing countries
- Facilitate the development of reference collections including, where appropriate, the transfer of reliably named reference specimens of species represented by extensive series in museums in the developed world to those in developing countries
- Facilitate, where appropriate and with suitable conditions, long-term loans of material
- Facilitate appropriate training at all levels of people from developing countries by experienced personnel in museums and universities in the developed world (See Actions 4 and 5 above)
- Facilitate travel scholarships for taxonomists from developing countries to enable them to visit experts and major collections in the developed world
- Development of partnerships between established Centres of Excellence and Imminent Centres

**Rationale and urgency.** The uneven geographic distribution of the above resources is a major contribution to the Taxonomic Impediment, and imposes severe limits on those people in developing countries who need access to bee taxonomy, literature and collection data. These problems need to be addressed with real urgency, especially if demands of those attempting to survey pollinator faunas and monitor changes therein are to be met. If realised, the above objectives would:

- Accelerate access to type material, other material and associated data
- Facilitate research in bee taxonomy, identifications and plant-pollinator studies
- Facilitate communication between scientists, taxonomists and pollination biologists
- Help meet the growing demands placed on “pollinator systematists”

**Method of achievement.** This action will best achieved by ensuring that adequate funding is provided, so that financial considerations are no longer a powerful limiting factor in capacity building and benefit sharing are:

- Collections managers to make data and specimens available
- Central web-sites to be created as a result of the São Paulo Declaration, in conjunction with BioNET-International and the International Bee Research Association (IBRA)
- Adequate numbers of data entry personnel to be employed in institutions with large, extensive collections
- Appointment of a single co-ordinator for each web-based database

**Timeframe.** Three to five years, with rate of progress in some area inevitably being user-driven.

**Opportunities for partnerships and co-operation.** Partnerships should be developed between museums and institutes in the developed world with major collections of bees and other pollinators and other countries and institutes wishing to participate and benefit from the above objectives. Institutes listed on the pollinator-based web sites could be used to advertise and enhance the setting up of such partnerships.

**Major constraints for implementation.**

- Lack of funds
- Lack of trained specialists in bee taxonomy, database management and data input

**ACTION 7. Stimulating taxonomic output**

**Objectives.** (See also suggestions for web-based databases outlined in Action 6 above.) To eliminate the Taxonomic Impediment by:

- Assembling regional catalogues of bee species, indicating where appropriate, those genera which are in need of revision and making these available in electronic as well as printed form
- Production of illustrated keys to genera by regions, especially in forms suitable for use by parataxonomists, including electronic and printed versions
- Facilitating existing specialists to produce monographic revisions of bee genera, especially those identified as containing species which are either known pollinators of crops or have potential as managed pollinators and are major pollinators of native plants;
- Facilitating the publication of the above
- Provision of travel scholarships to enable established taxonomists to visit major collections, colleagues and undertake field work
- Facilitating doctoral studentships under the supervision of established taxonomists

**Rationale and urgency.** The Taxonomic Impediment is expensive in terms of faunistic monitoring projects and pollination research, which cannot be completed without access to sound taxonomy. With the growing realisation that environmental change and degradation are accelerating, the urgency of the need to eliminate the Taxonomic Impediment is self-evident.

**Method of achievement.** It is suggested that:

- Governments, their funding agencies and supranational organisations should come to regard bee faunas as natural resources that need to be inventoried (= monographed) and that the provision of adequate levels of funding for appropriate periods of time is an investment opportunity with cost-effective, global benefits
- Government and supranational funding agencies collaborate to provide funds to support the publication of taxonomic monographs that would normally be considered too large for publication in standard journals

**Timeframe.** Three to ten years: these must be a set of long- term objectives.

**Opportunities for partnerships and co-operation.** The establishing of partnerships and collaborative relationships between institutions in developed countries with those in the developing world to co-operate in the elimination of the Taxonomic Impediment. An example of a partnership that is likely to be productive: collaboration between museums in western and central Europe with countries of the Mediterranean Basin (including North Africa) and the Sahel. In making this suggestion three existing projects are documented as suitable models. These are: the Flora Mesoamericana, Flora Neotropica and the Programa Cooperativo sobre la Apifauna Mexicana (PCAM). The latter is a partnership between bee taxonomists from several institutes in the United States with Mexican colleagues. To date this programme has produced one major, highly illustrated work, which facilitates the identification of all bees from North and Central America to generic level (Michener *et al* 1994) and Ayala *et al* 1993. Several others are in press.

**Major constraints for implementation.**

- Lack of international levels of funding
- Lack of contact between experts in different countries
- Insufficient taxonomic expertise.

**Follow-up activities**

**1. Workshop on motivation and training of parataxonomists**

### **Objectives.**

- To elaborate strategies to motivate students for studies in taxonomy
- To elaborate teaching material to prepare parataxonomists for field work, preparation and sorting of specimens and data banking and the application of automated identification systems (see Action 9).

**Rationale and urgency.** With a worldwide increase of monitoring of pollinators envisaged, large amounts of collection material will accumulate and will need to be identified. Therefore, there is a great demand for well-trained parataxonomists for the preliminary processing of this material.

**Method of achievement.** Simple textbooks and well-illustrated keys to bee genera should be developed for each region of the world, similar to Michener *et al* (1994).

**Timeframe.** It has been suggested that the workshop could be held soon at the National University of Mexico, Jalisco.

#### **Opportunities for partnerships and co-operation.**

- Funding for the organisation of the meeting, diaries and travel funding.
- No doubt appropriate partnerships and plans for collaborative enterprises will develop during the course of the meeting.

**Major constraints for implementation.** None.

## **2. Workshop on automated systems for bee identification.**

**Objectives.** All available automated identification systems (O'Neill *et al* 1997, Weeks *et al* 1997, Wittmann 1999) would be presented to a meeting of taxonomists. Professional users would test and compare the systems and make suggestions for improvement where necessary.

**Rationale and urgency.** Routine identification services keep professional taxonomists from important scientific work such as writing descriptions of species new to science, taxonomic revisions, etc. The identification of bees can and should be automated.

**Achieving the objectives.** A network of collections would be set up through which data on bee characters could be sent to regional institutions at which the automated system is installed.

**Timeframe.** The workshop could take place soon at the University of Bonn, Germany.

**Opportunities for partnerships and co-operation.** These would emerge at the workshop.

**Major constraints for implementation.** Funds for the organisation of the meeting and travel.

## **PROGRAM ELEMENT 2: MONITORING GLOBAL CHANGES IN THE DIVERSITY AND FREQUENCY OF POLLINATORS**

Co-ordinator: Gordon Frankie

Members:

Celso Martins

Alfonso Orth

Mauro Ramalho

Anthony Raw

Ilse Silberbauer-Gottsberger

Luceli de Souza

Rapporteur: Cynthia Pinheiro Machado

### **Topics suggested for discussion**

- a) Identify constraints for pollinator monitoring \*.

Identify benchmark experiences on pollinator monitoring.

Evaluate proposal for standardised methods and protocols for temporal and spatial comparisons.

Evaluate proposal for priority crops, management systems and pollinator taxa to be targeted.

Assess need for preparation of "Manuals for Measuring Pollinator Decline and Recovery".

Evaluate capacity building programme for pollinator monitoring.

Evaluate proposal for networks for monitoring pollinator decline and recovery.

Assess need for a "Global Biodiversity Outlook Report on the status of Pollinators".

## **PREAMBLE**

Some scientific studies and various scattered records strongly suggest that the numbers of crop pollinators are declining in many parts of the world. The yields of some crops are diminishing as a result of insufficient pollinators and there is every reason to believe that the problem will worsen and become widespread as more nesting habitats and wild floral resources needed by pollinators are adversely affected by human development and disturbances. More specifically, many specialists, agronomists and fruit growers are concerned about the sharp declines in the numbers of bees in recent years.

A major limiting factor in presenting a strong case for the conservation of pollinator populations is the scarcity of sound data. Reliable data are available for some crops in the U.S.A., Canada, parts of Europe and for Costa Rica; however, researchers are attempting to compile data to explain the situation.

To implement the required policy changes, administrators, land stewards, lawmakers, politicians and other decision makers need access to convincing evidence to promote new directions in research and new land management practices especially when new costs are involved. With pollinators, there is a clear need to document patterns and trends, in whichever direction they may be. Some trends become apparent and significant only after several years of study and then only when supplemented with additional ecological information. Therefore, monitoring these trends is a critical need in the conservation and sustainability of any pollinator.

\* Surveying entails collecting data on a single occasion; monitoring involves collecting comparative data on several occasions in order to identify possible changes in the numbers.

The establishment of realistic goals is fundamental for sound monitoring activities. Monitoring pollinators by means of standardised systematic methods provides information on the presence and absence of organisms, on local abundance and frequency through time, while correlations with biotic and abiotic variables can reveal patterns which may be useful in predicting trends. When monitoring is conducted in a systematic manner it provides insights on:

- Importance of pollinators for both agricultural and natural systems
- Impact of native pollinators on agricultural systems
- Impact of specific agricultural management techniques on pollinators
- Impacts of introduced pollinators
- Presence of bioindicator organisms
- Periodic reports on pollinator status
- Guidelines for pollinator management and restoration.

Furthermore, co-ordinated monitoring programs worldwide should adhere to a clear and definite time frame.

## **GENERAL PROPOSAL**

### **Objectives:**

- a) A network of co-operators should monitor changes in the diversity and frequency of pollinators through time in selected areas of the world.
- b) Wherever possible, supplemental ecological information should be provided on possible causes for changes in the diversity and frequency of pollinators.
- c) A global network of co-operators should be established who would share findings annually and meet periodically to discuss local and global trends in pollinators.

### **Achieving the objectives**

The success and efficiency of the dozen methods that have been used to sample flower visitors vary so much under different conditions that it is difficult to recommend any one specifically for widespread monitoring. Therefore, it is proposed to conduct a global monitoring program of pollinators in two stages.

**Stage 1.** Evaluation of the various collecting methods to assess which might be recommended for more widespread use. A second component of Stage 1 would be the compilation of descriptions of monitoring methods and appropriate statistical analyses which would be circulated for use and refined during the first two years. Results of this exercise would be published as a manual for use during Stage 2 (see below). These should be tested at a limited number of field sites. The selection of sites should be based on:

- Representation of broad ecosystems

- Comparable agro-ecosystems
- Presence of co-operators who will conduct the work
- Locations known to possess substantial bee diversities
- Preferably places for which plant and pollinator species lists exist.

These suggestions are not exclusive and any researcher who wishes to participate in the initial stage of the programme should be encouraged to do so. Nonetheless, it must be borne in mind that participation in the programme is a long-term commitment.

**Stage 2.** would implement the findings of Stage 1 at a larger number of field sites throughout the world in order to collect the data needed to detect changes in diversity and frequency of pollinators, especially of bee species. Hopefully it should be possible to cover the greater part of the world's terrestrial habitats and agricultural crops in Stage 2.

Although it has been suggested that Stage 1 be conducted at a limited number of localities and Stage 2 at a larger number, it should be mentioned that Stage 1 sites would provide data from the first day of the project and inclusion of a greater number of sites from the start would be advantageous.

### **Timeframe**

It is planned to complete Stage 1 in two years. Data would be collected during the first year and the methods refined during the second.

Stage 2 is seen as a long-term process. It is recommended that it be conducted for an initial period of five years and the programme renewed on a quinquennial basis thereafter.

### **Opportunities for partnerships and co-operation:**

The project cannot be contemplated without the active participation of many nations, institutions and co-operators. Program co-ordinators and specialists would need to develop a manual on monitoring techniques. Taxonomists would need to identify the material collected and help provide reference collections of determined species which should be made available to all co-operators (see below).

### **Major constraints for implementation**

Five major limitations are expected:

- The availability of co-operators to conduct the monitoring may impose restrictions on the selection of suitable sites.
- Taxonomic impediments in the naming of the material collected. This would entail determination of known species, and it is expected that species new to science will be discovered.
- Possible problems in the standardising of monitoring methods among co-operators, especially in the long-term.
- Limited ecological information collected by co-operators which may help explain pollinator trends which emerge from monitoring.
- Incentives needed to insure that monitoring would continue over a long-term period. Important and significant trends are likely to emerge only after several years (5-10) of monitoring. Incentives (financial and other) would be necessary to maintain the program momentum.

## **PROPOSALS FOR ACTION: MONITORING**

### **ACTION 1. Establish a committee to co-ordinate global monitoring plan**

**Objectives.** Organise a committee of three individuals to co-ordinate the global monitoring plan. Provide or develop specific goals and questions for monitoring. This committee would represent the starting point for contacting co-operators, selecting representative monitoring sites, establishing standard procedures for monitoring, setting up local and global data base centres, maintaining communication among co-operators, and distributing an annual report of the findings. These people would also lay the groundwork for developing a manual on pollinator monitoring.

**Rationale and urgency.** To implement a worldwide initiative a central co-ordination is fundamental to start the program and to assure the goals and objectives are achieved. The formation of the Central Committee is therefore the first essential step in the implementation of a pollinator-monitoring program.

**Method of achievement.** Its members should be chosen from people with previous experience on monitoring and with leadership.



**Timeframe implementation.** The Committee's initial period of two years, Stage 1, and thereafter a five-year period.

## **ACTION 2. The global monitoring plan**

**Objective.** To gather existing data and to obtain new comparative data from different habitats throughout the world in a co-ordinated fashion.

### **Method of achievement.**

This comprises three phases

#### **Phase I (1<sup>st</sup> and 2<sup>nd</sup> years)**

- Gather information on existing monitoring and inventorying methodologies
- Gather information on monitoring data analyses
- Local sites worldwide where monitoring activities and knowledge on local the fauna already exist
- Select sites in different parts of the world comprising major recognised pollinator fauna to test and standardise the monitoring methodology
- Establish a program of activities and reporting procedures to be conducted for selected sites. Some general guidelines should be given by the testing program
- Make the program guidelines (above) available to occasional volunteers who may wish to contribute data to the program.

#### **Phase II (1<sup>st</sup> and 2<sup>nd</sup> years)**

- Test methodologies on monitoring at the selected sites
- Identify major environment types to be included in monitoring programs (wild-lands, agriculture, disturbed areas, etc.)
- Produce local identification keys to pollinators
- Build reference collections of pollinators
- Evaluate the program
- Develop a manual with monitoring techniques and recommendations

#### **Phase III (3<sup>rd</sup> year- 5<sup>th</sup> year)**

- Select sites where monitoring program will be implemented
- Implement the monitoring program
- Collect data
- Analyse data
- Evaluate program.
- Reporting on global status and trends of pollinators
- Make recommendations for global pollinator management and restoration

### **Expected products of monitoring activities**

Monitoring should demonstrate patterns and trends of pollinators through time. Other products and findings are expected to emerge from long-term monitoring. Examples of these are.

- Identification of important pollinator species and groups
- Development of new conservation measures aimed at these pollinators
- Restoration of populations of selected important pollinators
- Identification of bio indicator pollinator species.
- Identification of exotic pollinators and assessments of their potential impacts on native pollinators.
- Changes in pollinator frequencies will require that supplementary ecological information be collected to identify the cause and effects.

**Method of achievement.** Analyses of data from monitoring programs conducted at monitoring sites and synthesised by the committee should enable the identification of important pollinator groups, indicate measures aimed to protect these pollinators, indicate the restoration of populations of selected pollinators when sufficient information is available; identify bio indicator pollinator species and highlight supplementary ecological information associated with changes in the fluctuation of pollinator numbers.

**Rationale and urgency.** Products from monitoring should be evaluated, synthesised and made available to institutions and interested people. Some of the products which emerge will suggest appropriate new courses of action which in turn should be monitored. A global monitoring plan requires a phased

approach, with periodic evaluation, to ensure that comparative data is gathered. Pollinator diversity continues to decline so the implementation of Phase 1 must be considered to be urgent.

**Note.** Promote pollinator monitoring through national and international professional meetings and through other audiences. Once the monitoring has started, we expect some of the co-operators to undertake the responsibility of organising societal meetings, newsletters, etc. It is important to stress that the continual promotion of the program among co-operators is crucial to the success of long-term monitoring. Furthermore, co-operators must also be willing to extend their knowledge to other relevant audiences to raise their levels of understanding and awareness. These audiences would include environmental journalists, land managers and administrators, politicians, large and small NGOs, local and state civic groups and committees, school boards, etc.

### **ACTION 3. Preparatory work for implementation of a global monitoring plan**

**Objectives.** Preparatory work should consist of developing supporting material and qualified personnel for the global monitoring program

**Rationale and urgency.** It should be designed to minimise constraints to monitoring activities, which would affect the final products and should be started prior to or along with the other global monitoring activities.

**Method of achievement.** Preparatory work entails:

- Compiling reference collections of pollinators
- Developing keys for pollinator identification
- Funding taxonomists and institutions for the identification of flowering plants and pollinators

Developing manuals on monitoring bees and other pollinators, and reporting, to maintain consistency in the data collection and final products, and in data retrieval.

**Timeframe.** Preparatory work would start in the first year of the program and major support materials and qualified personnel should be available by the end of the second year. This is a continuing process because it implies capacity building and biodiversity inventorying.

### **ACTION 4. Manuals for monitoring pollinators**

**Objectives.** Development of manuals for monitoring pollinators, especially bees.

**Rationale and urgency.** Manuals are necessary to provide guidance and training for all co-operators, which in turn would help keep co-operators focused on the global objectives and also maintain consistency of data collections and final products which are expected to emerge. The manuals would also provide directions on how to report findings and enter and retrieve data in an appropriate database.

**Method of achievement.** Specialists will be required to put together the information and write the manuals. This will be a continuing process because the methodologies will have to be tested in various ecosystems and additional pollinator species will be discovered as the monitoring programme compiles data.

**Needs and opportunities for partnerships and co-operation.** Co-operation would be useful between researchers to provide information over wide areas.

**Timeframe.** Preparatory work would start in the first year of the program and the first versions of some manuals should be available by the end of the second year.

### **ACTION 5. Assessment of the potential impact of exotic pollinators on native pollinators**

**Objectives.** Identify the presence of exotic pollinators and assess their potential impact on populations of native pollinators.

**Rationale and urgency.** Exotic or introduced pollinators can affect native pollinator communities and populations potentially resulting in deterioration of the native flora.

**Method of achievement.** Comparisons of inventories of native species at locations with and without exotic species. Longer-term effects will entail monitoring.

**Needs and opportunities for partnerships and co-operation.** Co-operation would be useful between researchers to provide information over wide areas.

### **ACTION 6. Establishment of a centralised web site of databases for all pollinator monitoring data**

**Objectives.** The main objective of this action is to make available worldwide all the information obtained from monitoring pollinators in order to optimise the effort and avoid unnecessary data collection as well as contribute to any attempt of pollinator assessment and management.

**Rationale and urgency.** Through standardised data bases information should be made freely available to those who need it.

**Method of achievement.** A single web site with access to databases for all pollinator monitoring data at both local and global levels.

**Opportunities for partnerships and co-operation.** Local and global agencies and NGOs working on databases. This could be organised in conjunction with the International Bee Research Association (IBRA) who have offered to store such data and with FAO and BioNET-International.

#### **ACTION 7. Preparation of a Global Biodiversity Outlook Report on the status of pollinators**

**Objectives.** A Global Biodiversity Outlook Report on the status of species of native bees and other pollinators emphasising those species threatened with local or total extinction. Similar documents are produced under the auspices of IUCN's Species Survival Commission, e.g., a global list of threatened vertebrate pollinators (Nabhan 1996).

**Rationale and urgency.** To provide a document for use by researchers, conservationists, agriculturists and decision-makers. This report will only become available after the five-year monitoring period is complete.

**Method of achievement.** Preparatory work entails:

- Compiling data from monitoring programs on pollinator numbers
- Identification of important pollinator species
- Identification of bio indicator pollinator species.

#### **ACTION 8. Follow up activities**

**Objectives.** Develop and encourage follow up activities to enable long-term monitoring of bio indicator species.

**Rational and urgency.** The result of the initial research should be kept current for use by land-use decision-makers. This will only take place after Phase 1 and 2 of Action 2 have been completed.

**Method of achievement.** Promote pollinator-monitoring debate through national and international professional meetings from now on.

**Opportunities for partnerships and co-operation.** Conferences, symposia and meeting on entomology, pollination, conservation, apiculture, and related issues should be addressed.

### **PROGRAM ELEMENT 3: IDENTIFYING THE CAUSES OF POLLINATOR DECLINE**

Co-ordinator: David W. Roubik

Members:

Marcelo Aizen

Cláudia Jacobi

Koos Beisemeijer

Penelope Kukuk

Amots Dafni

Marlies Sazima

David De Jong

Haroldo Toro

Rapporteur: Jorge Rodolfo Lima

#### **Topics suggested for discussion**

- a) Identify the kinds of causes of pollinator decline: ecosystem fragmentation, extractivism, pesticides, herbicides, burning, atmospheric pollution, alien species, diseases, climate change, destruction of nesting sites, others.

Determine the relative importance of the different causes of pollinator decline in different crops and continents.

Determine the relationship between size and intensity of stress and pollinator richness and abundance.

Evaluate proposal of methods to determine cause-effect relationships.

Evaluate proposal of models and methods for risk assessments.

## PREAMBLE

In recent years two major problems have appeared which are beginning to threaten the world's agricultural production. In many parts of the world honeybees are suffering from the serious disease, Varroaosis. Although the most widely used species in crop pollination is the honeybee (*Apis mellifera*) (Southwick and Southwick 1989), many other species of bees are involved (Richards 1993). The second difficulty is that reductions in the numbers of native bees and other pollinators have been reported in various parts of the world. These losses are due to the use of agrochemicals and monocultures and to deforestation. The chemicals kill bees and, with the removal of wild vegetation and crop specialisation, the bees find neither places to nest nor alternative flowers while they await the crop to bloom (Rathcke and Jules 1994).

This issue needs further attention, as workgroup report was not submitted.

## PROPOSALS FOR ACTION: POLLINATOR DECLINE

### Global assessment of pollinator diversity and pollinator efficiency in agro ecosystems and adjacent natural and semi natural environments

**Objectives.** A co-ordinated systematic examination of pollinator diversity to be conducted in carefully chosen representative agro ecosystems to provide a database for extrapolating the state of the pollinator-agriculture interface and to identify "best practices" for alleviating the losses and maintaining diversity.

**Rationale and urgency.** There is an urgent need to determine the impact of human activities including agricultural practices and deforestation on pollinator decline to chart an effective course of action and to identify those agricultural practices which promote diversity and pollinator efficiency.

#### Methods of achievement.

- Develop a handbook describing approved but simple and easily accomplished methods of surveying pollinator diversity and pollination efficiency.
- Form a working group to select and prioritise agro ecosystem locations for a survey based on considerations of type of agriculture, location, etc.

#### Timeframe.

- Development of the handbook: 3 to 6 months.
- Complete working group decision: 6 months to 1 year.
- Data collection and analysis: 2 or 3 years.
- Develop an Internet web site and other methods for disseminating information: 1 or 2 years.

**Opportunities for partnerships and co-operation.** This would be a necessary first step to implement a global monitoring system. The data would provide a basis for selecting long-term monitoring sites.

## PROGRAM ELEMENT 4: QUANTIFYING THE ECONOMIC VALUE OF POLLINATORS

Co-ordinator: Ken Richards

Members:

Marina Siqueira de Castro

Ramon Arigoni Ortiz

Richard Jones

Arie de Ruijter

Paulo Choji Kitamura

Ingrid Williams

Rainer Krell

Rapporteur: Dirk Koedam

### Topics suggested for discussion

- a) Identify important crops in different continents that need pollinators
- b) Identify pollinator taxa important for key crop species (assessing the pollination efficiency)
- c) Determine pollination efficiencies
- d) Assess production of directories of pollinators for crops by region
- e) Identify methods for the economic valuation of crop pollination
- f) Compare pollination versus production of honey, beeswax, propolis, etc.
- g) Evaluate methods to identify and estimate the insufficiency of pollinators
- h) Assess the economic impact of pollinator decline
- i) Assess standardised methods to measure the social and economic impacts

- j) Evaluate capacity building for the economic valuation of pollination
- k) Identify the priorities for developing case studies
- l) Compare migratory beekeeping versus the decline in native pollinators

## **PREAMBLE**

A realistic evaluation of the economic value of animal-effected pollination is essential for the efficient planning of the world's agriculture. However, such estimates have been an internationally contentious issue for many decades. Attempts to assess the pollination activity of bees have ranged from "guesstimates" of no empirical substance, to estimates based on the practical experience of apiculturists and growers and a few concerted efforts by pollination scientists in collaboration with economists.

The justification for attempting to make these estimates is the wide acceptance that the accumulated economic value of the pollination service is huge. For example, recent calculations of the annual value of the service of pollination provided by animals are US\$ 6-8 billion in the U.S. (G.Nabham per. obs.) and the global estimate is US\$ 65-70 billion (Pimentel *et al* 1997). Moreover, in their presentation at this Workshop Kenmore and Krell estimated the loss through lack of pollination for the 30 crops they cite to be US\$ 54.6 billion representing a 46 % loss of harvest.

Restrictions to obtaining reliable estimates include:

- Insufficient information on the pollination needs of species and varieties of crops.
- Many crops are marketed locally and their economic worth is not documented.
- Animal visitors vary from effective pollinators and occasional pollinators to those which are simply visitors and offer no service to the plant.

### **Target audience (clients):**

- Policy makers
- Advisors
- Farmers, growers, public
- Researchers

### **Proposal for action: Quantifying the economic value of pollinators**

**Objective.** To evaluate, in economic terms, different crop-pollinator-pollination systems for optimal use of pollinators in sustainable agricultural systems. The goal is to collect, collate, interpret, elaborate and disseminate information on crop-pollinator-pollination systems.

**Rationale and Urgency.** World food security demands rational farming systems. To decide on best farming systems for efficient and sustainable world food production, a variety of economic analyses are essential. The description and evaluation, in economic terms, of pollinator contributions to agriculture and environmental diversity will improve informed decision making at farm, regional, national and international levels. The importance of insect-pollinated plants to the world's food supply and the anticipated continuing increases in world population, food consumption and erosion of pollinator populations, make it crucial that data collection in support of detailed economic analyses be started immediately.

**Action Plan.** We recommend the establishment of a large, relational, computer database, with Internet access, to handle the large data sets, existing or required, to perform the economic analyses. The database should be divided into four action sub-units, each with its own justification and rationale:

**1. Plant-Crop Species.** Worldwide, food is obtained from more than 3,000 plant species of which some 1,300 species are grown and harvested in semi-wild habitats in tropical countries. Little is known about the pollination requirements of many of these species and this information is required to support their sustained use.

Data required:

- a) A list of crop species, classified by use, including medicinal and nutraceutical, value, and minor crops and plants which are non-cultivated but beneficial to mankind and pollinators;
- b) Breeding system for each crop species, especially minor, often neglected but high-value ones;
- c) Production of nectar, pollen or oil per crop species, compared among cultivars;
- d) Relative attractiveness of different crops to pollinators, with comparisons among cultivars;
- e) Different requirements for pollinators by different cropping systems, e.g. hybrid vs. non-hybrid seed-production;

- f) Impact on pollination of transgenic crops in cropping systems, e.g. on apomixis, auto-pollination, crop quality.

To accomplish this action, a first task will be to identify active experts for the various crop species who can and are willing to lead the research. Although many of the crop species will require regional or national rather than worldwide initiatives, the information should be shared and collated in a co-ordinated manner through a central office and database and through workshops and Internet links. Various plant gene banks across the world might be able to assist with the determination of crop species of economic importance and their breeding systems; it is their *raison d'être* to enhance seed production, maintain genetic purity of accessions, and to assist plant development and conservation efforts.

**2. Pollinators.** Optimum crop pollination is achieved only if the appropriate pollinator species is available to visit the flowers. The honeybee, *Apis mellifera*, as the most widely available and easily managed generalist pollinator, has in recent decades played a vital and dominant role in the pollination of insect-pollinated crops. However, research is demonstrating that bee species differ in their effectiveness and efficiency as pollinators of particular crops; some crops are better pollinated by other species of bee, e.g. alfalfa by the solitary bee, *Megachile rotundata* and tomatoes by the bumble bee, *Bombus terrestris*, two species now commercially available. Honeybees have often been credited with pollination services which are actually performed by other bee species. There are few economic estimates of the value of non-*Apis* pollination, and these insects are generally not appreciated.

Data required:

- a) Identify the optimum (most efficient and effective, but not necessarily the most abundant) pollinator species for each crop species
- b) Identify the secondary and tertiary pollinator species for each crop species and their relative value
- c) Distinguish between visitors to flowers and actual pollinators, i.e. those which collect, transport and deposit compatible pollen
- d) Develop a standard methodology for determining optimum pollinators

To accomplish this action, a first task will be to identify crop-pollination ecologists in different regions with expertise on the pollinators of particular crops to collect and collate the required data and devise standard methodologies in a co-ordinated fashion. As with crop species, this data needs to be shared and collated centrally.

**3. Pollinator numbers.** Realistic estimates are needed of the number of pollinators required per unit area of crop in flower to achieve optimum pollination. Estimates based on observations are difficult to obtain because pollinator effects on seed yields interact with other factors, e.g. flower fertility, soil, weather and insect pests, and because the methods used to compare yields of crop areas caged with and without bees can affect plant performance. A modelling approach is needed to integrate bee behaviour and plant and agronomic data. For many plant species, the population of bees required for optimum pollination can be assumed to be that population which would visit most of the flowers, to maximise seed setting through cross-pollination and to obtain a more uniform crop to harvest. However, even when all flowers on a plant are pollinated, not all produce seed, as genetic potential is seldom realised due to physiological constraints. This carrying capacity is largely unknown for most crop and native plant species.

Data required:

- a) Fruit and seed yields in the presence and absence of pollinators (a simple approach for most crop species)
- b) Bee behaviour, plant yield and agronomy integrated in a pollination model to predict the probability of an individual flower being pollinated under various pollinator and flower densities (a more sophisticated approach for selected important world crop species).

To initiate this action, a workshop of selected world experts is needed to determine appropriate standardised methodology for estimating the number of pollinators needed to pollinate crops. Both the simple and more sophisticated approaches need to be discussed if appropriate information is to be generated for economic analyses.

**4. Pollination economics.** To promote the use of a diverse pollinator work force, a risk reduction approach may be necessary. Enhancing native pollinator populations by habitat management is a potentially cost-effective option that deserves attention and may become more essential as honeybees become less

readily available. Habitat management might be most effective if planned on a scale larger than that of an individual farm and this would require co-ordination on a regional scale across government levels.

Data (economic) are needed on the following.

- a) The farm scale, cost/ benefit analyses for different crop and pollination systems. Analyses will need input costs e.g. of fertiliser, pesticides, herbicides, integrated pest management, seed, machinery, irrigation, land, energy, labour, pollinators (rental costs of supplementary bees or habitat management costs for wild pollinators) and crop costs such as market value, quantity and quality are required.

The national scale, for total crop production costs for different systems and for marketing the crops, research and development costs, training, support and extension costs, environmental costs and savings, integration of IPM into crop production systems where pollinators are used.

The international scale, for changes from one crop-pollinator-pollination system to another and for infrastructure maintenance.

Specific aspects are:

- a) Evaluating the additional products from pollinators (e.g. honey, wax, pollen, propolis, royal jelly, health products);
- b) Quantifying the socio-economic benefits of introducing a new pollinator into a region and onto a crop against the detrimental environmental (for example competition with local pollinator populations) and economic costs of non- introduction (e.g. inadequate pollination, food supply and global competitiveness);
- c) Quantifying the value of uncropped areas e.g. field margins, headlands, fence lines, hedgerows, roads, railways, utility rights of way, public lands, etc. (important refuges for a wide diversity of pollinators and associated plant species) to agricultural productivity;
- d) Evaluating different pollinator systems, for example, (1) the optimum and most available pollinator, (2) the secondary and tertiary pollinators, (3) mixing these two groups of pollinators, (4) the preservation and management of habitats for pollinators, (5) mixed managed pollinator and managed habitat systems.

To initiate this action, a workshop of pollination ecologists and economists is needed to develop appropriate analytical methodologies and collaboration to accomplish the task.

### **Timeframe implementation**

- a) Identification of experts to complete the various crop, pollinator and systems tasks.

Creation of the database and its maintenance.

- Integrate and expand existing descriptive information relevant for pollination
- Connect and integrate with existing plant production databases.

Possibly the database administration could reside with FAO with information input from IBRA. Funding should be sought from ETC, EU, private foundations and GEF.

- a) Development of a generalised economic method for evaluation of crop-pollinator-pollination systems. Comparison of pollinator efficiencies and effectiveness; target five crops per year.

Promotion of improved crop-pollinator-pollination systems with economic data and the use of case studies to explain environmental benefits. Different case studies would be used to depict different levels of management from high input and output to lower levels: greenhouse, field crop, intensive monoculture, mixed culture, organic small farm, traditional landscape.

Extension of information generated through training, newsletters, crop production manuals, workshops, seminars, specific publications, inclusion of economic and biological information on pollination in agricultural courses at universities and colleges, development of on-farm research and extension, and potential partnership and co-operation with international organisations including FAO, IBRA, ICPBR, CGIAR, Apimondia and UNEP and with national grower organisations and the seed trade.

Research to increase the precision of economic analyses at national and international levels.

Establishment of a network of experts for rapid interaction through discussion and for the creation and dissemination of data through workshops. This could be made available in an interactive format involving grower organisations or those like SREN.

Review the progress made in the various actions after 2 ½ and 5 years.

Action Year	(x =start of activity, w = workshop)							Priority ...etc.	(=emphasis)
	1	2	3	4	5	6	7		
1.	x	-----							1
2.	x	-----							1
3.	x	-----							3
4.	x	-----							2
5.	x	w	w	w	w				1
6.	x	w	w	w	w	w	w		1
7.	x	-----							3
8.	x	w	w	w	w				2
9.			x		x				

### Major constraints for implementation of the proposed actions

- a) Inadequate data on most of the different crop-pollinator-pollination systems.
- Lack of any recognised structures for data collection and dissemination.
- Lack of standardised methodology for the determination of plant, pollinator and interaction components and also for economic analysis.
- An uneven geographic distribution of experts.
- Lack of awareness by the public, farmers, policy makers and advisors about the benefits of pollinators for crop production and the needs of pollinators for human survival.
- Lack of knowledge about economic and environmental costs and benefits for different crop pollination systems.

### PROGRAM ELEMENT 5: CONSERVATION OF POLLINATOR DIVERSITY

Co-ordinator: Stephen Buchmann

Members:

José Márcio Ayres

Paulo Nogueira-Neto

Mikhail Berezin

Paulo Eugénio de Oliveira

Marilda Cortopassi-Laurino

Mike Ruggiero

Gerhard Gottsberger

Blandina Felipe Viana

Rapporteur: Marcia de Fátima Ribeiro

#### Topics suggested for discussion

- a) Determine nesting site requirements of pollinators
- b) Assess improving nest site availability
- c) Determine floral preferences and requirements
- d) Evaluate enhancing availability of alternative flower resources as supplementary forage
- e) Evaluate proposal of habitat management (traditional and modern)
- f) Assess promotion of conservation of fragmented natural habitats within agriculture landscapes
- g) Assess breeding techniques (traditional and modern)
- h) Assess breeding of native pollinators (Meliponinae, Bombinae, etc. )
- i) Assess promotion of conservation efforts on private properties
- j) Evaluate proposal of incentives and labelling to promote sustainable pollinated crops
- k) Assess promotion of certification and labelling of quality agricultural products
- l) Assess identification and dissemination of best practices
- m) Evaluate proposal of capacity building for conservation and sustainable use
- n) Assess promotion of technology transfer
- o) Assess balancing pollination with production of honey, etc
- p) Evaluate proposal of public policies for pollinator conservation

#### PREAMBLE

The aim is to achieve a situation where native pollinators are conserved in agricultural systems for the benefit of society.



At least one-third of the world's agricultural crops depend upon pollination provided by insects and other animals, and agricultural production throughout the world is threatened by declining populations of pollinators. The major contributors to this decline in pollinator populations are, inter alia, habitat fragmentation, agricultural and industrial chemicals, parasites and diseases, and the introduction of alien species. We need to take immediate international action to secure sustained pollinator services in agricultural ecosystems.

The following guiding principles provide a framework for international co-operation and action to conserve and restore pollinators.

- Pollinator plant relationships should be understood as an ecosystem service for sustainable agriculture.
- Conservation and restoration of natural areas are necessary to optimise pollinator services in agricultural systems.
- Negative impacts by humans on pollinators should be minimised.
- Farming practices should promote the conservation and diversity of native pollinators.
- Public awareness of the importance of pollinator conservation should be promoted.

Based on these principles we recommend an array of actions for international co-operation on pollinator conservation, which should be undertaken immediately and be completed within three to five years. The proposals for action fall within four general recommendations:

- Advisory
- Knowledge assessment
- Communication and outreach.

## **PROPOSALS FOR ACTION: Conservation**

### **ACTION 1. Establish an international advisory group on pollinator conservation**

**Objective.** To provide expert advice to governments and society on pollinator conservation on which to base sound policy and decision-making.

**Rationale and urgency.** The scope of the pollinator crisis is international both in the distribution of pollinators, the crops they service, and the threats to them. However, the distribution of expertise is unevenly distributed among nations and is declining largely through the retirement and lack of replacement of taxonomists and systematists. The co-ordination and effective use of the world's remaining experts is critical to formulating the important policies and making the correct decisions which will ensure the continued services of pollinators in agriculture.

#### **Achieving the objectives**

- Establish an experts group on pollinators within the CBD.
- Identify organisations and other instruments and utilise their international agreements and conventions to address pollinator conservation and work with them to incorporate principles and actions which benefit pollinators.
- Establish a specific working group on pollinators within IUCN's Species Survival Commission.

**Timeframe.** The first item above could begin immediately and be completed within a year under the auspices of CBD/ SBSTTA. The second should also begin immediately. Identification of instruments can be completed within a year, but incorporation of principles and actions will entail a continuing effort during a few years. Initiation and completion of the third item is dependent on the IUCN process.

**Opportunities for partnerships and co-operation.** The relatively small number of experts in pollinator conservation will need to pool their resources on an international basis. Common problems and shared use of pollinators in both agricultural and natural ecosystems provide a unique opportunity for co-operation among experts in both sectors.

**Major constraints for implementation.** Logistics are the major constraint.

### **ACTION 2. Establish an international information network on pollinator conservation**

**Objective.** To link information and databases on pollinator taxonomy, research, monitoring and conservation and make it widely available and accessible.

**Rationale and urgency.** Much existing data and information on pollinators exist in reports, collections, publications and other sources. However, it is not easily located, nor is it available in forms which are most useful to policy and decision-makers. Existing data and information should be organised and made accessible for application to conservation problems and to guide the efficient collection of new data.

**Methods of achievement.**

- Establish information networks on pollinator conservation. Develop a global thematic focus within the Clearing-House Mechanisms of CBD. Develop focus areas in regional networks such as the Inter-American Biodiversity Information Network.
- Create a global directory of pollinator experts (with locator information) on pollinator conservation, indexed by crops, plants and pollinator species.
- Create a directory of collections containing pollinator voucher specimens of the 20 to 30 major collections.
- Create an electronic pollinator bibliographic database built on those that already exist (e.g. Gottsberger, Cane and Beltsville).

**Timeframe.** Begin immediately and complete within two years.

**Opportunities for partnerships and co-operation.** Developed countries possess much of the information about the pollinators in developing countries. Some developing countries have important collections and information as well. The information resides with governments, universities, museums and private sources. All sources should cooperate in the open exchange of information for maximum benefit and application.

**Major constraints to implementation.** The major constraints in information networking include the availability of software and hardware, Internet technology, data and metadata standards and data in electronic form.

**ACTION 3. Assess the state of scientific and indigenous knowledge on pollinator conservation**

**Objective.** To provide an evaluation of the knowledge base about pollinators and their conservation and to identify critical information gaps and priorities for future work.

**Rationale and urgency.** While there is much that needs to be learned about pollinators and pollination, a strategy is needed to determine the most important areas of work with respect to conservation. The strategy should be developed on the basis of what is already known from scientific and indigenous sources of information.

**Method of achievement.**

- Define and create a database as a "living document" on pollinators for world crops – (like that of Roubik 1995) and their conservation status.
- Assess the conservation status of wild pollinators of the world's major agricultural crops. This should be on a country-by-country basis leading to a global economic assessment of the value of crop pollinators.
- Develop a compendium of pollinator conservation case histories.
- Synthesise and compile information on "pollinator-friendly" farming methods.
- Develop global and national lists of threatened pollinator relationship including "hot-spots" and migratory pollinators.
- Develop model-testing protocols for the introduction of non-native pollinators.
- Develop model-testing protocols for agrochemicals with reference to their effects on bees and other pollinators.

**Timeframe.** Begin immediately and complete within three years.

**Opportunities for partnerships and co-operation.** Pollinators and the plants they pollinate are international in scope. In addition, they occur in natural and managed ecosystems and landscapes. The conservation, environmental and agricultural sectors must cooperate as well as international and national organisations.

**Major constraints to implementation.** New funding will be required to conduct a systematic assessment. Institutional barriers among sectors will also need to be removed.

#### **ACTION 4: Develop an international communication outreach capacity**

**Objective** To disseminate high quality and understandable information about pollinators and their conservation to a wide variety of audiences and users.

**Rationale and urgency.** The impending crisis of the decline of pollinators is still relatively quiet. A major global campaign is needed to make people aware of pollinators and the potential loss of their services.

##### **Method of achievement**

- Define criteria and indicators to evaluate the status of and threats to agricultural production of a reduction in pollination
- Create multilingual manuals on pollinator conservation and restoration for farmers (in local idioms and adapted to the reality of each country);
- Approach International Standards Organisations to create “bee smart” labels on certification (like on tuna fish cans) for “pollination friendly” products. Promote pollinator awareness by putting charismatic bumblebees and other icons and logos on tomatoes and other fruits. Develop other business incentives (and remove disincentives) for pollinator conservation.

**Timeframe.** Begin immediately and complete within three years.

**Opportunities for partnerships and co-operation.** The media should be enlisted to help publicise the need for pollinator conservation. The agricultural industry should work with conservation and environmental sectors.

**Major constraints to implementation.** Institutional barriers between sectors will need to be removed.

#### **PROGRAM ELEMENT 6: SUSTAINABLE USE OF POLLINATORS**

Co-ordinator: Hayo Velthuis

Members:

Sally Bunning

Peter Kevan

Clayton Campanhola

John Mbaya

John Donaldson

Márcia Motta Maués

Breno Magalhães Freitas

Luisa Ruz

Vera Imperatriz-Fonseca

Carlos Hernan Vergara

Rapporteur: Astrid de Matos Peixoto Kleinert

##### **Topics suggested for discussion**

- a) Review restoration experiences
- b) Assess restoration experimentation
- c) Assess restoration of nesting sites and floral diversity
- d) Assess restoration efforts on private properties
- e) Assess effectiveness of restoration efforts
- f) Assess dissemination of best practices
- g) Assess capacity building for restoration
- h) Assess promotion of technology transfer

##### **PREAMBLE**

Few people are aware of the fact that there are over 25,000 different species of bees, which differ tremendously in size, and diverge accordingly in the plants they visit and pollinate. Both the diversity of wild plants and the variability of food crops depend on it. Though bees form the most important group of pollinators, other insects such as butterflies and moths, flies and beetles also contribute. In most cases we lack the knowledge about the exact relations between individual plant species and their pollinators, but studies in this field demonstrate that they are often quite specific. In order to maintain this aspect of biodiversity, ecosystems should be preserved so that the proper combinations of plants and their pollinators can continue to co-exist.

For agriculture to profit from the diversity of plant-pollinator relationships, the two extreme situations should be envisaged. On the one hand there is small-scale agriculture amidst undisturbed, natural areas from which pollinators may migrate onto the agricultural plots. On the other hand are the extensive fields with

high-tech agriculture, where pollinators are usually locally extinct or present in very low numbers. In these, temporary importation of pollinators is necessary. Such a practice characterises the co-operation between agriculture and beekeeping. However, for a number of crops honeybees are not the only or the most suitable pollinators and, indeed, several other bee species are being bred in managed systems, albeit on a limited scale. This has led to increases in quantity and quality of the crops concerned. Further diversification of pollinator species in agriculture can easily be imagined, if proper breeding systems can be developed. For maintaining the existing services of pollinators and for promoting new developments a number of measures need to be taken.

### **General Proposal**

The group identified three areas as requiring particular attention.

- i) Co-ordination between those working on pollination issues and other environmental and agricultural activities, programmes and networks emphasising the strengthening of the liaison between research, scientific bodies and policy development processes.
- j) Co-ordination of methods, analyses and interpretation of biodiversity assessment.
- k) Co-ordination among conventions, agreements and specific scientific working groups and networks related to biodiversity.

### **These areas should be equipped for three purposes:**

- a) Gathering and exchange of information
- b) Research and assessment
- c) Development and dissemination of techniques and guidelines
  - A. Gathering and exchange of information
    1. Conduct an inventory of information and best practices in different agro-ecological systems. The following should be covered.
      - Pollinator diversity and decline
      - Identification of pollinator species and guilds of effective pollinators of the crops and wild plants which are important for food and agriculture
      - Identification of pollinator requirements of different crops and cultivars
      - Identification of threats and constraints to maintaining pollinator diversity
      - Effective techniques and best practices in different environments.
    2. Development and dissemination of techniques and guidelines. Promote the exchange of information on pollination through databases and interactive scientific networks etc. Particular attention should be paid to the following.
      - **Exchange of information between modern commercial agricultural systems and traditional (or small scale) agricultural systems, including low and high intensive systems in different agro-ecological areas, taking into account natural and managed pollinators.**
      - Information exchange between countries on existing national regulations and guidelines, regarding the introduction of exotic pollinator species.

### **B. Research and assessment**

- a) Conduct risk/ impact assessments. These should be conducted in agro-ecosystems based on technical, ecological and socio-economic analyses with particular emphasis on the following.
  - Habitat fragmentation and degradation.
  - Disturbances to natural pollinators and their habitats.
  - Practices and technologies used in agricultural production with emphasis on biological and behavioural changes in the pollinators resulting from pesticide use, plant nutrition, differences among cultivars, disruption of adjacent habitats, crop specialisation, etc.
  - Alternative and new practices and technologies, such as multi-cropping, non-tillage, crop rotation, organic farming, biotechnologies, etc.
  - Introduction of exotic species.
  - Use of transgenic plants.

Research on effective use and management of pollinators in agriculture. Research projects and activities should be prioritised to develop appropriate breeding systems and techniques for target pollinator species in different regions and farming systems to promote the effective use and management of pollinators in agriculture (e.g. stingless bees, *Xylocopa*, *Megachile*, *Osmia*, *Centris*, *Bombus*, *Apis*).

Promote targeted applied research for farmers and rural communities. Targeted applied research, including participatory research should be developed with the co-operation of farmers and rural communities and, where appropriate, be built on local knowledge systems. The following areas should be emphasised.

- Plant breeding systems and mechanisms.
- Pollination requirements.
- Threats to pollinator diversity.
- Effects of changing agricultural practices, technologies and crops.
- Relative effectiveness of pollinators worldwide with a view to developing the basis for sustainable agriculture through pollinator diversity
- Improved pollination management practices which complement plant breeding, techniques, fertiliser use, etc for enhancing productivity and sustainability of cropping systems

### **C. Development and dissemination of techniques and guidelines**

a) Develop agricultural practices and techniques, for different agricultural production systems and disseminate information, and guidelines, through 'A' above. The documentation should include:

- Range and pasture, cropping systems, managed forests and integrated systems
- Incorporation of pollination into integrated pest management.
- Maintenance and manage of natural areas for pollinators in different farming systems and interfaces between ecosystems, such as forest crop margins, protected areas etc.
- Promotion of pollination as an integral component of sustainable agricultural systems and cropping practices for enhances productivity.
- Restore pollinators and pollinator habitats following degradation and natural calamities.

Encouragement of case studies on the impact of current biodiversity conservation and restoration efforts on the conservation and sustainable use of native pollinators for agriculture, with a view to developing recommendations and technical guidelines for enhancing the restoration and sustainable use of pollinator diversity.

Develop technical guidelines for best management practices in different agro-ecosystems. The following should be incorporated:

- Local and regional experiences
- Recommended pollinators and breeding techniques for specific crops.
- Techniques for maintaining pollinator diversity, including natural pollinator, and sustainable beekeeping and required plant species and habitats
- Pollinator management techniques
- What to avoid and why i.e. introduction of exotic species
- Assessment and monitoring mechanisms, including risk and impact assessment.

Develop technical guidance and recommendations for policy makers. These should be aimed at policy makers at national and international levels, including FAO, UNEP, CABI etc. They should include:

- Guidelines and regulations on the introduction of exotic pollinator species
- Other practices which might have negative impacts on pollinator diversity and effectiveness, such as changes in plant communities (species on which pollinators rely). Two case studies are Africanised honeybees in South America and oil palm in Malaysia
- Promote public awareness.
- Pollinators should be used as the entry point to promote public awareness through educational programs to highlight the importance of biological diversity and integrated natural resources management for sustainable agriculture.

Include pollination in formal educational programs. Integrate pollination issues as a component of sustainable management into agricultural, biological and environmental science courses and curricula and in primary and secondary schools by using local examples and relevant examples from other regions.

### **Proposals for action: Sustainable Use of Pollinators**

The actions presented below are linked to the three above topics:

- a) Gathering and exchange of information.....Actions 1, 2
- b) Research and assessment.....Action 3
- c) Development and dissemination of techniques and guidelines.....Actions 4, 5, 6, 7, 8.

### **ACTION 1: Disseminate information on pollination in agricultural environments:**

**Objective.** To establish a central, global focus for sharing information on pollination in agricultural environments through a web site, databases and interactive scientific networks.

**Rationale and urgency.** There is an urgent need for a web site, databases and interactive scientific networks.

**Method of achievement.** The web site should be established at a global focus location where existing library facilities are excellent, networking facilities well-established and professional expertise available and a global perspective exists. For efficacy in the dissemination of information there should be a co-ordinated approach in the:

- Homogeneity in the quality of information
- Co-ordination among the expertise in the field.

**Timeframe.** The development of a web site, data bases and interactive scientific networks should begin as soon as possible.

**Needs and opportunities for partnerships and co-operation.** Information dissemination is dependent on international partnerships and co-operation.

### **ACTION 2: Inventory of pollination and pollinator experts.**

**Objectives.** List of existing experts on pollination and pollinators and their fields of interest.

- Development of interactive scientific networks
- Presentation of courses and practical demonstrations

**Rationale and urgency.** Although capacity is limited, existing expertise can be shared to initiate programmes and broaden experience. Interchange will indicate areas being investigated and avoid duplication. Information exchange is an essential first step for progress and should begin immediately.

**Method of achievement.**

- Compile lists of existing experts on pollination and pollinators, and their fields of interest preferably using e-mail
- Develop interactive scientific networks for exchange of information through e-mail

**Opportunities for partnerships and co-operation.** Opportunities are open. Furthermore, joint projects and technology transfer between countries and regions may attract increasing funding.

**Timeframe.** The inventory of experts to take place during the first year. Initial courses and technology transfer to be undertaken during the first two years, thereafter more advanced courses should be developed.

**Major constraints for implementation.** Funding for inventorying, project in administration and implement action.

### **ACTION 4: Promotion of applied research on pollination in agricultural ecosystems through training of post-graduates to work on specific points addressed in point 9**

- Present training courses and practical demonstrations

No details were provided.

### **ACTION 5: Natural habitats as sources of wild pollinators for crop improvement**

**Objective.** To provide a quantitative assessment in terms of crop yields of preserving tracts of natural landscapes in agricultural landscapes via pollination.

**Rationale and urgency.** Despite the existence of some concerns on the pollinator decline issue, there is an almost total lack of empirical data on the concrete benefits of "mosaic" landscapes for agriculture via pollination.

**Achieving the objectives.** Through the promotion of research on edge effects on pollinators, pollination and seed output levels into the matrix, and also comparing pollination and seed yield of crops across landscapes.

**Timeframe.** One year to implement; two more years for meaningful results.

**Opportunities for partnerships and Co-operation.** No special needs: research of the kind proposed is feasible and relatively inexpensive. Co-operation at the regional and international level could be useful, however.

**Major constraints for implementation.** Lack of expertise in some regions. Possible kinds of action to be proposed are training and capacity building and targeted research.

#### **ACTION 6: Evaluation of positive and negative effects of alternative practices and technologies in agricultural production on pollinator conservation and effectiveness**

##### **Objectives.**

- Predict impacts of agricultural production practices/technologies on pollinators.
- Compare different production systems as regarding to pollination effectiveness.
- Identify production techniques and practices which are soft on pollinators and stimulate pollination.

**Rationale and urgency.** Some agricultural production techniques may have negative effects or may contribute to decreased pollination efficiency. There is a need to identify factors in the production systems which can interfere negatively with crop pollination as well as those which represent positive effects. In this sense, alternative approaches have to be tested.

**Achieving the objectives.** Identify possible alternatives for production management, such as multi-cropping, crop rotation, non-tillage, organic agriculture, conservation of adjacent habitats, etc. Test them under different situations and conditions.

**Timeframe.** Five years to sort out the most appropriate alternatives for some particular conditions. Case studies in most representative conditions are recommended.

**Opportunities for partnerships and Co-operation.** Integration among research institutions and universities with NGOs which in most countries detain valuable knowledge on alternative agricultural production systems.

##### **Major constraints for implementation.**

- Need for incorporation of this priority in National Agricultural Research Systems.
- Low availability of specialised work teams.

#### **ACTION 7: Evaluation of impacts on pollination of practices and technologies used in agricultural production**

**Objective.** Identify best methodologies to measure impact on pollinators by currently used technologies, such as pesticides, fertilisers, cultivars, monocultures, etc.

**Rationale and urgency.** Some agricultural production practices are disruptive on pollinators and can contribute to a low efficiency of pollination.

**Achieving the objectives.** Use of general guidelines and practical approaches to rapidly differentiate among practices and technologies the ones which are softer on pollinators.

**Timeframe.** Three years for main ecosystems, conducting case studies in each one.

**Opportunities for partnerships and Co-operation.** Co-operation among research institutions, universities and grower co-operatives.

##### **Major constraints for implementation.**

- Opposition by private sector (input industry, mostly).
- Organisation culture may counteract this initiative.
- Difficulty for identification of representative study areas.
- Lack of interest in identifying problems with agricultural production systems currently used.

#### **ACTION 8: Promote research to improve knowledge on the real needs of pollination of tropical crops and forest trees**

**Objective.** Knowledge on pollination biology of economically important tropical plants.

**Rationale and urgency.** There are many gaps about the reproductive biology and pollination of tropical crops. It is urgently necessary to know the real needs of the pollination requirement of these crops.

## APPENDICES

### ACRONYMS

Apimondia	International Federation of Beekeepers' Associations
BioNET	
CABI	
CBD	Convention on Biological Diversity
CGIAR	Consultative Group on International Agricultural Research
CI	Conservation International
CNPq	Conselho Nacional de Desenvolvimento Científico e Tecnológico [Brazilian National Council for Research and Technology Development]
COP	Conference of the Parties
EMBRAPA	Empresa Brasileira de Pesquisa Agropecuária [Brazilian Corporation for Agricultural Research]
ETC	
EU	European Union
FAO	Food and Agriculture Organisation
GDOR	Global Diversity Outlook Report
GEF	Global Environment Facility
GTI	Global Taxonomy Initiative
IBRA	International Bee Research Association
ICPBR	International Commission for Plant-Bee Relationships
IUCN	the World Conservation Union – IUCN
MMA	Ministério do Meio Ambiente [Brazilian Ministry of the Environment]
SBSTTA	Subsidiary Body on Scientific, Technical and Technological Advice
SREN	Sustainable Rural Environmental Energy Network
STAP	
TI	Taxonomic Impediment
UNDP	United Nations Development Program
UNEP	United Nations Environment Program
USP	University of Sao Paulo



## BIBLIOGRAPHY TO CONSULT

\* Those marked with an asterisk are cited in the text.

- Allen-Wardell, G., P. Bernhardt, R. Bitner, A. Burquez, S. Buchmann, J. Cane, P.A. Cox, V. Dalton, P. Feinsinger, D. Inouye, M. Ingram, C.E. Jones, K. Kennedy, G.P. Nabham, B. Pavlik, V. Tepedino, P. Torchio and S. Walker. 1998. The potential consequences of pollinator declines on the conservation of biodiversity and stability of food crop yields. *Conservation Biology* **12**: 8-17. \*
- Ayala, R., T.L. Griswold and S.H. Bullock. 1993. The native bees of Mexico. In: R. Ramamoorthy, A. Bye and J. Fa Lot (eds), *Biological Diversity of Mexico: Origins and Distribution*: pp. 179-227. Oxford University Press, Oxford and New York.
- Banaszak, J. 1986. Impact of agricultural landscape structure on diversity and density of pollination insects. *Les Colloques de l'INRA* **36**: 75-84.
- Banaszak, J. 1992. Strategy for Conservation of Wild Bees in an Agricultural Landscape. *Agric. Ecosyst. Environ.* **40**: 179-192.
- Banaszak, J. (ed). 1992. *Natural Resources of Wild Bees in Poland*. Bydgoszcz, Poland: Pedagogical University.
- Banaszak, J. 1995. *Changes in Fauna of Wild Bees in Europe*. Bydgoszcz, Poland: Pedagogical University. \*
- Banaszak, J. 1996. Ecological bases of conservation of wild bees, In A. Matheson *et al.* *The Conservation of Bees*. Academic Press, London, Linnean Society of London and International Bee Research Association – IBRA. \*
- Bohart, G.E. 1972. Management of wild bees for pollination of crops. *Annual Review of Entomology* **17**: 287-312. \*
- Buchmann, S.L. and G.P. Nabhan. 1996. *The Forgotten Pollinators*. Island Press, Washington, D. C. Shearwater Books, Covelo, California. 320 pp. \*
- Burd, M. 1994. Bateman's principle and plant reproduction: the role of pollen limitation in fruit and seed set. *Botanical Review* **60**: 81-109.
- Campanhola, C., G. Rodrigues, and B. Dias. 1998. Agricultural Biological Diversity. *Ciencia e Cultura*, Sao Paulo **50** (1): 10-12. \*
- Corbet, S.A., I.H. Williams and J.L. Osborne, 1991. Bees and the pollination of crops and wild flowers in the European Community. *Bee World* **72**: 47-59. \*
- Costanza, R., R. d'Arge, R. de Groot, S. Farber, M. Grasso, B. Hannon, K. Limburg, S. Naeem, R.V. O'Neill, J. Paruelo, R.G. Raskin, P. Sutton and M. van den Belt. 1997. The value of the world's ecosystem services and natural capital. *Nature* **387** (6230): 253-260. \*
- Crane, E. and P. Walker. 1984. *Pollination Directory for World Crops*. International Bee Research Association, Bucks, England.
- Dafni, A. 1992. *Pollination Ecology: A Practical Approach*. Oxford IRL and Oxford University Press.
- Daily, G. C. (ed). 1997. *Nature's Services, Societal Dependence on Natural Ecosystems*. Island Press, Washington. \*
- Day, M.C. 1991. Towards the conservation of Aculeate Hymenoptera in Europe. *Convention on the Conservation of European Wildlife and Natural Habitats*. Council of Europe Press, Strasbourg, Nature and Environment Series **51**.
- Environment Australia. 1998. *The Darwin Declaration*. Australian Biological Resources Study. Environment Australia, Canberra. \*
- Faegri, K. and L. van der Pijl. 1979. *The Principles of Pollination Biology*. 3<sup>rd</sup> edition, Pergamon Press, Oxford, 244p. \*
- FAO. 1999. *Sustaining Agricultural Biodiversity and Agro-ecosystem Functions*. FAO, Rome, 30 + 14 pp.
- Frankie, G.W., S.B. Vinson, M.A. Rizzardi, T.L. Griswold, S. O'Keefe and R.R. Snelling. 1997. Diversity and abundance of bees visiting a mass flowering tree species in disturbed seasonal dry forest, Costa Rica. *Journal of the Kansas Entomological Society*, **70**: 281-296.
- Free, J.B. 1993. *Insect Pollination of Crops*. 2<sup>nd</sup> edition, Academic Press, New York, 684p.
- GEF - Global Environment Facility. 1998. *A Framework for GEF activities concerning Conservation and Sustainable Use of Biological Diversity important to Agriculture*. Washington. \*
- Gill, R. 1989. Pollination services: an overview. *Australasian Beekeeper* **91**: 168-170, 186-187.
- Gill, R. 1989. The value of pollination services in Australia. *Australasian Beekeeper* **91**: 256, 258, 260-261, 264, 266-268, 274-275.

- Holsinger, K.E. 1992. Ecological methods of plant mating systems and the evolutionary stability of mixed mating systems. In: R. Wyatt (ed.) *Ecology and Evolution of Plant Reproduction*: pp. 169-191, Chapman & Hall, New York.
- Janzen, D.H. 1974. The deflowering of Central America. *Natural History*, **83**: 48-53.
- Jones, C.E. and R.J. Little (eds). 1983. *Handbook of Experimental Pollination Biology*. Van Nostrand Reinhold, New York.
- Kearns, C. A., and D. W. Inouye. 1993. *Techniques for Pollination Biologists*. Colorado University Press, Niewot, Colorado.
- Kevan, P.G. 1975. Pollination and environmental conservation. *Environmental Conservation* **2** (4): 293-298.
- Kevan, P.G. 1991. Pollination: keystone process in sustainable global productivity, In: C. van Heemert and A. de Ruijter (eds.) Sixth International Symposium on Pollination. Wageningen, *Acta Horticulturae* **288**.
- Kevan, P.G., 1999. Pollinators as bioindicators of the state of the environment: especies, activity and diversity. *Agriculture, Ecosystems & Environment* **74**:373-393
- Kevan, P.G., E.A. Clark and V.G. Thomas. 1990. Insect Pollinators and Sustainable Agriculture. *American Journal of Alternative Agriculture* **5**: 13-22. \*
- Kevan, P.G., K. MacKenzie and K.W. Richards. 1996. Conserving pollinators for agriculture, forestry and nature. A brief prepared for the Entomological Society of Canada. \*
- Klug, M. and G. Bünemann. 1983. Pollination: wild bees as an alternative to the honeybee. *Acta Horticulturae* **139**: 59-64.
- Long, R.F., A. Corbett, C. Lamb, C. Reberg-Horton, J. Chandler and M. Stimmann. 1998. Beneficial insects move from flowering plants to nearby crops. *California Agriculture* (Sept-Oct): 23-26.
- Matheson, A. (ed). 1994. *Forage for Bees in an Agricultural Landscape*. International Bee Research Association, Cardiff, Wales. \*
- Matheson, A., S.L. Buchmann, C. O'Toole, P. Westrich and I.H. Williams. 1996. *The Conservation of Bees*. Academic Press, London, Linnean Society of London and International Bee Research Association – IBRA, 252p. \*
- McGregor, J.E. 1972. *Insect Pollination of Cultivated Crop Plants*. U.S. Department of Agriculture, Washington DC. Handbook **496**. \*
- Michener, C.D. 1979. Biogeography of the bees. *Annals of the Missouri Botanical Garden* **66**: 277-347.
- Michener, C.D., R.J. McGinley and B.N. Danforth. 1994. *The Bee Genera of North and Central America (Hymenoptera: Apoidea)*. Smithsonian Institution Press, Washington DC. \*
- MMA - Brazilian Ministry of the Environment, Water Resources and the Amazon Region. 1996. *Agricultural Biological Diversity: A proposal of the Brazilian Government to the Subsidiary Body on Scientific, Technical and Technological Advice (SBSTTA) - of the Convention on Biological Diversity (CBD)*. Brasília. \*
- Nabhan, G.P. 1996. *Pollinator Redbook*, Volume One: Global list of Threatened Vertebrate Wildlife Species serving as Pollinators for Crops and Wild Plants. Arizona-Sonora Desert Museum and Forgotten Pollinators Campaign Monographs, Tucson, Arizona. \*
- Nabhan, G.P. and S. Buchmann. 1997. Services provided by Pollinators, In: G.C. Daily (ed.), *Nature's Services, Societal Dependence on natural Ecosystems*. Island Press, Washington.
- Neff, J.L. and B.B. Simpson. 1993. Bees, pollination systems and plant diversity. In: J. LaSalle and I. Gauld (eds.), *Hymenoptera and Biodiversity*. Commonwealth Agricultural Bureau International, London. \*
- O'Neill, M.A., I.D. Gauld, K.J. Gaston and P.J.D. Weeks. 1997. DAISY: an automated invertebrate identification system using holistic vision techniques. *Proceedings BIGCAT Workshop*, Cardiff, July.
- Osborne, J.L. and S.A. Corbet. 1993. Evaluating pollinator effectiveness on crops: a step by step analysis, In *Proceedings of the International Symposium on Pollination in the Tropics*. IUSSI, Bangalore, India.
- Osborne, J.L., I.H. Williams and S.A. Corbet. 1991. Bees, pollination and habitat change in the European Community. *Bee World* **72**: 99-116. \*
- O'Toole, C. 1993. Diversity of Native Bees and Agroecosystems, In: J. LaSalle and I. Gauld (eds.) *Hymenoptera and Biodiversity*.: 69-106. Commonwealth Agricultural Bureau International, London. \*
- O'Toole, C. 1994. Who cares for solitary bees? In A. Matheson (ed) *Forage for bees in an agricultural landscape*. International Bee Research Association, Cardiff, UK: pp 47-56.
- O'Toole, C. 1996. Bee systematics in Europe: the continuing crisis and some possible cures, In A. Matheson *et al.* *The Conservation of Bees*: 227-232. Academic Press, London, Linnean Society of London and International Bee Research Association – IBRA.

- O'Toole, C. and A. Raw. 1991. *Bees of the World*. Blandford, London, 192 pp. \*
- Pimentel, D., C. Wilson, C. McCullum, R. Huang, P. Dwen, J. Flack, Q. Tran, T. Saltman and B. Cliff. 1997. Economics and Environmental Benefits of Biodiversity. *BioScience* **47** (11): 747-757. \*
- Proctor, M., P. Yeo and A. Lack. 1996. *The Natural History of Pollination*. Harper Collins, London, 479p. \*
- Rathcke, B.J. and E. Jules. 1994. Habitat fragmentation and plant/ pollinator interactions. *Current Science* **65**: 273-278. \*
- Richards, K.W. 1993. Non-*Apis* bees as crop pollinators. *Revue Suisse de Zoologie* **100**: 807-822. \*
- Richards, K.W. 1996. Comparative efficacy of bee species for pollination of legume seed crops. In A. Matheson *et al.* *The Conservation of Bees*. Academic Press, London, Linnean Society of London and International Bee Research Association – IBRA.
- Richards, K.W. 1997. Biodiversity of Pollinators in Canadian Agriculture. Report to the Convention on Biological Diversity.
- Robinson, W.S., R. Nowogrodzki and R.A. Morse. 1989. The value of honey bees as pollinators of U.S. crops. *American Bee Journal* **129**: 411-423, 477-487.
- Roubik, D.W. 1989. *Ecology and Natural History of Tropical Bees*. Cambridge University Press, New York, 514 pp. \*
- Roubik, D.W. 1995. *Pollination of cultivated plants in the tropics*. Food and Agriculture Organization, Rome. FAO Agricultural Services Bulletin **118**: 1-196. \*
- Roubik, D.W. 1995. Diversity in the real world: tropical forests as pollinator reserves. In M. Mardan (ed.) *Bees and the Environment*. South Bound Press, Penang, Malaysia.
- Roubik, D.W. 1996. Measuring the meaning of honey bees. In A. Matheson *et al.* *The Conservation of Bees*. Academic Press, London, Linnean Society of London and International Bee Research Association – IBRA.
- Southwick, L., Jr. and E.E. Southwick. 1989. A comment on “Value of honey bees as pollinators of U.S. crops”. *American Bee Journal* **129**: 805-807.
- Southwick, E.E. and L. Southwick Jr. 1992. Estimating the economic value of honey bees (Hymenoptera: Apidae) as agricultural pollinators in the United States. *Journal of Economic Entomology* **85**: 621-633. \*
- Torchio, P.F. 1987. Use of non-honeybee species as pollinators of crops. *Proceedings of the Entomological Society of Canada* **118**: 111-124. \*
- Torchio, P.F. 1990. Diversification of pollination strategies for U.S. crops. *Environmental Entomology* **19** (6): 1649-1656. \*
- Torchio, P.F. 1991. Bees as crop pollinators and the role of solitary species in changing environments, In: C. van Heemert and A. de Ruijter (eds.) *Sixth International Symposium on Pollination*, Wageningen. *Acta Horticulturae* **288**: 49-61. \*
- Torchio, P.F. 1994. The present status and future prospects of non-social bees as crop pollinators. *Bee World* **75**: 49-53. \*
- UNEP - United Nations Environmental Program. 1996a. *The Biodiversity Agenda* Decision III/11: Conservation and Sustainable Use of Agricultural Biological Diversity, pp. 28-41. UNEP/CBD/COP/3/. Buenos Aires. \*
- UNEP - United Nations Environmental Program 1996b. *The Biodiversity Agenda*, Decision III/10; Identification, Monitoring and Assessment, pp. 26-28. UNEP/CBD/COP/3/, Buenos Aires. \*
- UNEP - United Nations Environmental Program. 1996c. *The Biodiversity Agenda* Decision III/5; Additional Guidance to the Financial Mechanism, pp. 9-12. UNEP/CBD/COP/3/, Buenos Aires. \*
- UNEP - United Nations Environmental Program. 1998a. *A Programme for Change*. Decision IV/6, Agricultural Biological Diversity, pp. 50-53. UNEP/CBD/COP/4. Bratislava. \*
- UNEP - United Nations Environmental Program. 1998b. *A Programme for Change*. Decision IV/1, Agricultural Biological Diversity, pp. 1-9. UNEP/CBD/COP/4. Bratislava. \*
- UNEP - United Nations Environmental Program. 1998c. *A Programme for Change*. SBSTTA Recommendation III/5: Current approaches to indicator development and recommendations for a preliminary core set of indicators of biological diversity, particularly those related to threats, and options for capacity-building in developing countries in the application of guidelines and indicators for subsequent national reports, pp. 174-178. UNEP/CBD/COP/4/2. Bratislava. \*
- UNEP - United Nations Environmental Program. 1998. Report of the Workshop on the Ecosystem Approach: Submission by the Governments of the Netherlands and Malawi. UNEP/CBD/COP/4/Inf. 9. Bratislava. \*
- Vogel, S. and C. Westerkamp. 1991. Pollination: an integrating factor in biocenosis. In: Seitz, A. and V. Loeschke (eds.), *Species Conservation: a Population-Biological Approach*. Birkhäuser, Basel. pp. 159-170.

- Watanabe, M.E. 1994. Pollination worries rise as honey bees decline. *Science* **265**: 1170.
- Weeks, P.J.D., M.A. O'Neill, K.J. Gaston and I.D. Gauld. 1997. Automating the identification of insects: a new solution to an old problem. *Bulletin of Entomological Research* **87**: 203-211.
- Westerkamp, C. 1991. Honey bees are poor pollinators – why ? *Plant Systematics and Evolution* **177**: 71-75.
- Williams, I.H. 1986. Environmental change and the distributions of British bumble bees (*Bombus* Latr.). *Bee World* **67**: 50-61.
- Williams, I.H. 1989. Bumble Bees and their Decline in Britain. Central Association of Beekeepers. Pp. ###
- Williams, I.H. 1996. Aspects of Bee Diversity and Crop Pollination in the European Union, In: A. Matheson *et al.* *The Conservation of Bees*. Academic Press, London, Linnean Society of London and International Bee Research Association – IBRA. pp. 63-80. \*

## LIST OF PARTICIPANTS

---

<p>Marcelo A Aizen Department de Ecologia, Universidad Nacional del Comahue, San Carlos de Bariloche, Rio Negro, Argentina Tel: +54-944-26368/ 23374/ 28505 Fax: +54-944-22111 <a href="mailto:marcito@cab.cnea.edu.ar">marcito@cab.cnea.edu.ar</a></p>	<p>Ricardo Ayala Estacion de Biologia Chamela, Universidad Nacional Autonoma de Mexico, Apartado Postal 21, 48980 San Patricio, Jalisco, Mexico Tel: +52-335-10200 Fax: +52-335-10202 <a href="mailto:barajas@servidor.unam.mx">barajas@servidor.unam.mx</a></p>
<p>José Márcio Ayres Deputy Chair, Species Survival Commission, IUCN, Departamento de Zoologia, Museu Paraense Emílio Goeldi, Caixa postal 399, Belém, Pará, Brazil Tel: +55-91-227-0020 Fax: +55-91-249-6369 <a href="mailto:ayreswcs.bel@zaz.com.br">ayreswcs.bel@zaz.com.br</a> <a href="mailto:ayreswcs@libnet.com.br">ayreswcs@libnet.com.br</a></p>	<p>Mikhail V. Berezin Invertebrate Department, Moscow Zoo, Moscow, Russia, 123242 Tel: +7-095-480-0951 Fax: +7-095-252-1455/-254-5749 <a href="mailto:bmvmv@shmel.transit.ru">bmvmv@shmel.transit.ru</a></p>
<p>Koos Biesmeijer Ethologie &amp; Socioecologie, Vakgroep Vergelijkende Fysiologie, University of Utrecht, POB 80086, Utrecht, 3508 TB Netherlands Tel: +31 30 253-5421 Fax: +31 30 252-1105 currently at: PO Box 2270-3000, Heredia, Costa Rica Tel: +506-260-2082 Fax: 506-23777043 <a href="mailto:kbiesmei@sol.racsa.co.cr">kbiesmei@sol.racsa.co.cr</a></p>	<p>Stephen Buchmann Carl Hayden Bee Research Center, Agriculture Research Service US Department of Agriculture, Tucson, Arizona, 85719 USA Tel: +1-520-670-6481 Ex 140 Fax: +1-520-670-6493 <a href="mailto:buchmann@tucson.ars.ag.gov">buchmann@tucson.ars.ag.gov</a></p>
<p>Sally Bunning Agricultural Biodiversity Programme Officer (at the time), Secretariat to the Convention on Biological Diversity, Current address: Technical Officer, Land Conservation and Management - Development Division - Food and Agriculture Organization - FAO - Viale dell Terme di Caracalla, Room B768 - Rome 00100 Italy Tel: +39 06 570-5442 <a href="mailto:Sally.Bunning@fao.org">Sally.Bunning@fao.org</a></p>	<p>Silvana Buzato Departamento de Ecologia Geral, Instituto de Biociências, Universidade de São Paulo, São Paulo, SP, Brazil 05508-900 Tel: +55-11-8187564 Fax: +55-11-8134151 <a href="mailto:sbuzato@ib.usp.br">sbuzato@ib.usp.br</a></p>
<p>Clayton Campanhola Meio-Ambiente, EMBRAPA - Empresa Brasileira de Pesquisa Agropecuária, Av. André Tosello, s/nº - Cidade Universitária Zeferino Vaz Caixa postal 6041 13083-970 Campinas - SP Brazil Tel: +55-19-289-9800 Ramal 211 Fax: +55-19-289-9495 <a href="mailto:clayton@cnpma.embrapa.br">clayton@cnpma.embrapa.br</a></p>	<p>Marina Siqueira de Castro Departamento de Ciências Biológicas, Universidade Estadual de Feira de Santana, Avenida Universitária s/n, Feira de Santana, Bahia, Brazil Tel: +55-71-3451810 Fax: +55-71-235-1453 <a href="mailto:marina@e-net.com.br">marina@e-net.com.br</a></p>
<p>Marilda Cortopassi-Laurino Departamento de Ecologia Geral, Instituto de Biociências, Universidade de São Paulo, São Paulo, SP, Brazil 05508-900 Tel: +55-11-8187533 Fax: +55-11-8134151 <a href="mailto:mclaurin@usp.br">mclaurin@usp.br</a></p>	<p>Amots Dafni Laboratory of Pollination Ecology, Institute of Evolution, University of Haifa, Mt. Carmel, Haifa, 91005Israel Tel: +972-4-824-0382 Fax: +972-84-204312 <a href="mailto:Adafni@research.haifa.ac.il">Adafni@research.haifa.ac.il</a></p>

---

<p>David De Jong  Departamento de Genética Faculdade de Medicina  Universidade de São Paulo, 14049-900 Ribeirão  Preto, São Paulo, Brazil  Tel: +55-16-6024401 Fax: +55-16-633-6428  <a href="mailto:ddjong@fmrp.usp.br">ddjong@fmrp.usp.br</a></p>	<p>Braulio F. de Souza Dias  Director, Programa Nacional de Conservação da  Biodiversidade, Secretaria de Biodiversidade e  Florestas Ministério do Meio Ambiente, Esplanada  dos Ministérios, Bloco B, 7º andar, sala 704 70068-  900 Brasília, Distrito Federal, Brazil  Tel: +55-61-317-1175/ 317-1120 Fax: +55-61-323-  7936  <a href="mailto:bfsdias@mma.gov.br">bfsdias@mma.gov.br</a> / <a href="mailto:bfsdias@zaz.com.br">bfsdias@zaz.com.br</a></p>
<p>John Donaldson  Assistant Director, Conservation Biology, National  Botanical Institute, Private Bag X7, 7735 Claremont,  Cape Town, South Africa  Tel: +27-21-762-1166 Fax: +27-21-797-6903  <a href="mailto:donaldso@nbict.nbi.ac.za">donaldso@nbict.nbi.ac.za</a></p>	<p>Connal Eardley  Plant Protection Research Institute, Private Bag  X134, Pretoria 0001, South Africa  Tel: +27-12-323-8540 Fax: +27-12-325-6998  <a href="mailto:vrehcde@plant5.agric.za">vrehcde@plant5.agric.za</a></p>
<p>Gordon W. Frankie  Division of Insect Biology, College of Natural  Resources, University of California, Berkeley,  California, 94720 U.S.A  Tel: +1-510-642-0973 Fax: +1-510-642-7428  <a href="mailto:frankie@nature.berkeley.edu">frankie@nature.berkeley.edu</a></p>	<p>Breno Magalhaes Freitas  Departamento de Zootecnia, Universidade Federal de  Ceará, Campus Universitário do PICI Caixa Postal  12168,, 60355-970 Fortaleza, Ceará, Brazil  Tel: +55-85-288-9697 Fax: +55-85-288-9701  <a href="mailto:freitas@ufc.br">freitas@ufc.br</a></p>
<p>Maria Luiza de Araujo Gastal  Técnica Especializada em Biodiversidade, Diretoria  de Conservação da Biodiversidade Secretaria de  Biodiversidade e Florestas Ministério do Meio  Ambiente, Esplanada dos Ministérios, Bloco B, 7º  andar 70068-900 Brasília, Distrito Federal, Brazil  Tel: +55-61-317-1319/ 317-1246 Fax: +55-61-317-  1209  <a href="mailto:maria-luiza.gastal@mma.gov.br">maria-luiza.gastal@mma.gov.br</a></p>	<p>Gerhard Gottsberger  Abteilung Spezielle Botanik, Albert Einstein Allee  11, University of Ulm, Ulm, D - 89081 Germany  <a href="mailto:gerhard.gottsberger@biologie.uni-ulm.de">gerhard.gottsberger@biologie.uni-ulm.de</a></p>
<p>Vera L. Imperatriz-Fonseca  Instituto de Biociências, Universidade de São Paulo,  Rua do Matão, travessa 14, 321 São Paulo, São Paulo  Brazil 05508-900  Tel: +55-11-818-7533 Fax: +55-11-813 4151  <a href="mailto:vlifonse@ib.usp.br">vlifonse@ib.usp.br</a></p>	<p>Cláudia Jacobi  Departamento de Biologia Geral - Universidade  Federal de Minas Gerais, Avenida Antônio Carlos  6627, Caixa Postal 486, BeloHorizonte, Minas  Gerais, Brazil 30161-970  Tel: +55-31-499-2566 Fax: +55-31-499-2567  <a href="mailto:jacobi@mono.icb.ufmg.br">jacobi@mono.icb.ufmg.br</a></p>
<p>Richard Jones  Director, International Bee Research Association, 18  North Road, Cardiff, Wales, CF1 3DY United  Kingdom  Tel: +44-1222-372409 Fax: +44-1222-665522  <a href="mailto:ibra@cardiff.ac.uk">ibra@cardiff.ac.uk</a> [state who the message is for]</p>	<p>Peter G. Kevan  Department of Environmental Biology, University of  Guelph, Guelph, Ontario, Canada N1G 2W1  Tel: +1-519-824-4120 ext. 2479 FAX: +1-519-837-  0442  <a href="mailto:pkevan@uoguelph.ca">pkevan@uoguelph.ca</a></p>
<p>Paulo Choji Kitamura  Centro Nacional de Pesquisas e Meio Ambiente,  Empresa Brasileira de Pesquisa Agropecuária,  Rodovia SP 340, Km 127,5 Bairro Tanquinho Velho,  Caixa postal 69 - 13820-000 Jaguariuna, Sao Paulo,  Brazil  Tel: +55-19-867-8725 Fax: +55-19-867-8740  <a href="mailto:kitamura@cps.sol.com.br">kitamura@cps.sol.com.br</a></p>	<p>Astrid M.P. Kleinert  Departamento de Ecologia Geral, Instituto de  Biociências, Caixa Postal 11461, Universidade de  São Paulo, São Paulo, SP Brazil 05508-900  Tel: +55-11-864-9678/ 818-7533/ Fax: +55-11-813-  4151/864-9678  <a href="mailto:astridkl@ib.usp.br">astridkl@ib.usp.br</a></p>

---

Dirk Koedam

Departamento de Ecologia Geral - Instituto de  
Biotecnologias - Universidade de São Paulo - Rua do  
Matão, Travessa 14, 321 - São Paulo 05508-900 -  
Brazil  
[dkoedam@usp.br](mailto:dkoedam@usp.br)

Rainer Krell

Department of Agriculture, Food and Agriculture  
Organization – FAO, Viale delle Terme di  
Caracalla, Rome, Italy  
Tel: 39-06-57052419 Fax: 39-06-57055634  
[Rainer.Krell@fao.org](mailto:Rainer.Krell@fao.org)

---

Penelope F. Kukuk

Animal Behavior Program Director, BIO/ IBN Rm  
685, National Science Foundation, Arlington,  
Virginia, U.S.A 22230  
Tel: +1 703-306-1419 Fax: +1 703-306-0349  
[pkukuk@selway.umt.edu](mailto:pkukuk@selway.umt.edu)

Jorge Rodolfo Lima,

Departamento de Ecologia Geral - Instituto de  
Biotecnologias - Universidade de São Paulo - Rua do  
Matão, Travessa 14, 321 São Paulo 05508-900  
Brazil

---

Isabel Cristina Machado,

Departamento de Botânica, Universidade Federal de  
Pernambuco, 50372-970 Recife, Pernambuco, Brazil  
Tel: +55-81-271-8348  
[iemachado@cnpd.ufpe.br](mailto:iemachado@cnpd.ufpe.br)

Celso Feitosa Martins

Departamento de Sistemática e Ecologia/ CCEN,  
Universidade Federal de Paraíba, 58059-900 Joao  
Pessoa, Paraíba, Brazil  
Tel: +55-83-216-7025/-216-7593 Fax: +55-83-216-  
7464  
[cmartins@dse.ufpb.br](mailto:cmartins@dse.ufpb.br)

---

Márcia Motta Maués

Laboratório de Entomologia, Caixa Postal 48, Centro  
de Pesquisa Agroflorestal da Amazônia Oriental,  
Empresa Brasileira de Pesquisa Agropecuária,  
Belém Pará, Brazil 66.095-100  
Tel: +55-91-246-6333 Ramal 133 Fax +55-91-226-  
9845  
[marcia@cpatu.embrapa.br](mailto:marcia@cpatu.embrapa.br) /  
[jbgmaues@libnet.com.br](mailto:jbgmaues@libnet.com.br)

John S.K. Mbaya

National Council for Science and Technology, 2nd  
Floor, Emperor Plaza, Kenyatta Avenue/ Koinange  
Street, P.O. Box 30623, Nairobi, Kenya  
Tel: +254-2 33-6173 Fax: +254-2 33-0947  
[ncst@insightkenya.com](mailto:ncst@insightkenya.com)

---

Gabriel Melo

Departamento de Biologia, Faculdade de Filosofia,  
Ciências e Letras, Universidade de São Paulo,  
Avenida Bandeirantes, Ribeirão Preto, São Paulo,  
Brazil 14040-901  
Tel: +55-16-602-3705 Fax: +55-16-602-3666  
[garmelo@ffclrp.usp.br](mailto:garmelo@ffclrp.usp.br)

Jesus Santiago Moure

Departamento de Zoologia, Universidade Federal do  
Paraná, Caixa Postal 19020, Curitiba, Paraná, Brazil  
81531-970  
Tel: +55-41-366-3144 Ramal 142/ 143 Fax: +55-41-  
266-2042  
[stra@bio.ufpr.br](mailto:stra@bio.ufpr.br)

---

Paulo Nogueira-Neto

Instituto de Biotecnologias, Universidade de São Paulo,  
05508-900 São Paulo, SP Brazil  
Tel: +55-11-280-7244/ -211-1887 Fax: +55-11-280-  
7354  
[pnn@usinaester.com.br](mailto:pnn@usinaester.com.br)

Paulo Eugenio de Oliveira

Departamento de Biotecnologias, Universidade Federal  
de Uberlândia, Caixa Postal 593, 38400-902  
Uberlândia, Minas Gerais, Brazil  
Tel: +55-34-218-2230 Fax: +55-34-232-8620  
[poliveira@ufu.br](mailto:poliveira@ufu.br)

---

Afonso Inácio Orth

Departamento de Fitotecnia, Caixa Postal 476,  
Universidade Federal de Santa Catarina,  
Florianópolis, Santa Catarina, Brazil 88040-900  
Tel: +55-48-334-2266 Fax: +55-48-334-2014  
[aorth@mbox1.ufsc.br](mailto:aorth@mbox1.ufsc.br)

Christopher O'Toole

Bee Systematics and Biology Unit, Oxford University  
Museum of Natural History, Parks Road, Oxford,  
England  
Tel: +44-1865-272994 Fax: +44-1865-272970  
[chris.otoole@oum.ox.ac.uk](mailto:chris.otoole@oum.ox.ac.uk)  
[chris.otoole@university-museum.oxford.ac.uk](mailto:chris.otoole@university-museum.oxford.ac.uk)

---

Cynthia Pinheiro-Machado

Departamento de Ecologia Geral - Instituto de  
Biotecnologias - Universidade de São Paulo - Rua do  
Matão, Travessa 14, 321 - São Paulo 05508-900 -  
Brazil

Francis Dov Por,

Hebrew University, Jerusalem, Israel  
[dovpor@netvision.net.il](mailto:dovpor@netvision.net.il)

---

---

Mauro Ramalho  
Departamento de Botânica, Universidade Federal da  
Bahia, Ondina, 41320-940 Salvador, Bahia, Brazil  
Tel: +55-71-3325108/ 2456909 Fax: +55-71-245-  
6909  
[ramauro@ufba.br](mailto:ramauro@ufba.br)

---

Anthony Raw  
Departamento de Zoologia, Universidade de Brasília,  
Brasilia Distrito Federal, Brazil 70910-900  
Tel: +55-61-274-1568  
currently at: Departamento de Ciências Biológicas,  
Universidade Estadual de Santa Cruz, Ilheus, Bahia,  
Brazil 45650-000  
Tel: +55-73-680-5261 Fax: +55-73-680-5053  
[tonyraw@jacaranda.uesc.br](mailto:tonyraw@jacaranda.uesc.br)

---

Marcia de Fátima Ribeiro,  
Departamento de Ecologia Geral - Instituto de  
Biociências - Universidade de São Paulo - Rua do  
Matão, Travessa 14, 321 - São Paulo 05508-900 -  
Brazil  
[marib@ib.usp.br](mailto:marib@ib.usp.br)

---

Kenneth W. Richards  
Manager, Plant Gene Resources of Canada -  
Agriculture and Agri-Food Canada, Saskatoon  
Research Center, 107 Science Place, Saskatoon,  
Saskatchewan, Canada S7N 0X2  
Tel: +1 306-956-7641 Fax: +1 306-956-7246  
[RichardsK@em.agr.ca](mailto:RichardsK@em.agr.ca)

---

David W. Roubik  
Smithsonian Tropical Research Institute, Unit 0948,  
APO AA 34002-0948 or APDO 2072 - Balboa,  
Republic of Panamá  
Tel: +507-227-6022 ex 2321 Fax: +507-232-5978  
[roubik@ctfs.stri.si.edu](mailto:roubik@ctfs.stri.si.edu) / [roubikd@tivoli.si.edu](mailto:roubikd@tivoli.si.edu)

---

Michael A. Ruggiero (at the time)  
Department of the Interior, Office of International  
Affairs,  
Current address:  
Director, Integrated Taxonomic Information System  
(ITIS) - Smithsonian Institution/NMNH -  
Washington, D.C. 20560-0180 USA  
Tel. +1 202 357-2670 Fax: +1 202 786-2934  
[mike\\_a\\_ruggiero@ios.doi.gov](mailto:mike_a_ruggiero@ios.doi.gov)

---

Arie de Ruijter  
Director,  
Ambrosiushoeve, Ambrosiusweg 1, 5081 NV  
Hilvarenbeek, The Netherlands  
Tel: +31-13-542-5888 Fax: +31-13-543-9155  
[ambrosiushoeve@wxs.nl](mailto:ambrosiushoeve@wxs.nl)

---

Luisa Ruz  
Instituto de Biología, Universidad Católica de  
Valparaíso, Valparaíso, Chile  
Tel: 56-32-273133 Fax: 56-32-212746  
[lruz@ucv.cl](mailto:lruz@ucv.cl)

---

Isabel Alves dos Santos  
Departamento de Ecologia Geral, Instituto de  
Biociências, Rua do Matão 321, Travessa. 14,  
Cidade Universitária, Universidade de São Paulo,  
Sao Paulo Brazil 05508-900  
Tel: +55-11-818-7527/-8187533 Fax: +55-11-  
8134151  
[isabelha@usp.br](mailto:isabelha@usp.br)

---

Marlies Sazima  
Departamento de Botânica, Universidade Estadual de  
Campinas, Caixa Postal: 6109, Campinas, São  
Paulo, Brazil 13083-970  
Tel: +55-19-788-8151/ 788-7802/ 788-7844 Fax:  
+55-19-289-3124  
[msazima@unicamp.br](mailto:msazima@unicamp.br)

---

Ilse Silberbauer-Gottsberger  
Abteilung Spezielle Botanik, Albert Einstein Allee  
11, University of Ulm, Ulm, D – 89081- Germany  
[ilse.gottsberger@biologie.uni-ulm.de](mailto:ilse.gottsberger@biologie.uni-ulm.de)

---

Fernando Silveira  
Laboratório de Sistemática e Ecologia de Abelhas -  
Departamento de Zoologia, Instituto de Ciências  
Biológicas, Universidade Federal de Minas Gerais,  
Avenida Antônio Carlos 6627, Caixa Postal 486,  
31270-901 Belo Horizonte, Minas Gerais, Brazil  
Tel: +55-31-499-2902 Fax: +55-31-499-2899  
[fernando@mono.icb.ufmg.br](mailto:fernando@mono.icb.ufmg.br)

---

Luceli de Souza  
Base de Dados Tropical, Fundação André Tosello,  
Rua Latino Coelho, 1301 – Parque Taquaral -  
13087-010 Campinas, São Paulo, Brazil  
Tel: +55-19-242-7022 Fax: +55-19-242-7827  
[luceli@bdt.org.br](mailto:luceli@bdt.org.br)

---

Robbin W. Thorp  
Department of Entomology, University of California,  
Davis, California, U.S.A 95616  
Tel: +1-530-752-0482/ 752-9464 Fax: +1-530-752-  
1537  
[rwthorp@ucdavis.edu](mailto:rwthorp@ucdavis.edu)

---

Haroldo Toro G.  
Instituto de Biología, Universidad Católica de  
Valparaíso, Casilla 4059, Valparaíso, Chile  
Tel: 56-32-273115  
[htoro@ucv.cl](mailto:htoro@ucv.cl)

---



---

Hayo H.W. Velthuis  
Ethologie & Socioecologie, Vakgroep Vergelijkende  
Fysiologie, University of Utrecht, POB 80086,  
Utrecht, 3508 TB - Netherlands  
Tel: +31 30 253-5421 Fax: +31 30 252-1105  
[H.H.W.Velthuis@bio.uu.nl](mailto:H.H.W.Velthuis@bio.uu.nl)

Carlos Hernan Vergara  
Departamento de Química y Biología, Escuela de  
Ciencias, Universidad de las Américas-Puebla, Santa  
Catarina Mártir, Cholula, Puebla, Mexico 72820  
Tel: +52-22-292415/ 22-292067 Fax: +52-22-  
292066  
[cvergara@mail.udlap.mx](mailto:cvergara@mail.udlap.mx)

---

Blandina Felipe Viana  
Departamento de Zoologia, Instituto de Biologia -  
Universidade Federal da Bahia, Ondina, 41320-940  
Salvador, Bahia, Brazil  
Tel: +55-71-2489156/ Fax:+55-71-245 6909  
[blande@ufba.br](mailto:blande@ufba.br)

---

Ingrid Williams  
President, International Commission on Plant/ Bee  
Relationships - IACR - Rothamsted Experimental  
Station, Harpenden, Hertfordshire, UK England AL5  
2JQ  
Tel: +44-15827-63133 Fax: +44-15827-60981  
[ingrid.williams@bbsrc.ac.uk](mailto:ingrid.williams@bbsrc.ac.uk)

---

Wolfgang Wilms  
Zoologisches Institut, Auf der Morgenstelle 28,  
72076 Tübingen, Germany  
[wolfgang.wilms@uni-tuebingen.de](mailto:wolfgang.wilms@uni-tuebingen.de)

---

Dieter Wittmann  
Institut für Landwirtschaftliche Zoologie und  
Bienenkunde, Melbweg, 42 - University of Bonn,  
Bonn, Germany 53127  
Tel: +228-910-1931 Fax: +228-910930  
[ult401@uni-bonn.de](mailto:ult401@uni-bonn.de)

---